

Malteser International Europe · 51103 Cologne · Germany

Country Coordination Office Plot No: 445 Kololo Road 3k South Tong Ping, Juba Town South Sudan

Juba, 25 February 2019

SECTION I INVITATION TO TENDER ITB/JUB/2019/0021

Renovation of tuberculosis (TB) ward and external washroom facilities at Yei Civil Hospital in Yei Town.

This is an Invitation to Tender for the above mentioned supply. Please find enclosed the following documents, which constitute the tender dossier:

Section I

Invitation to Bid

Section II

Instructions to Bidders

Section III

Appendix to Tender.

Section IV

Conditions of Particular Application

Section V

General conditions

Section VI

Scope of Works

Section VII

Bills of Quantities

Section VIII

Technical Specifications

Section IX

Drawings

The whole Specification for bidding dossier (digital version) can be down loaded here on the South Sudan NGO Forum's website.

We look forward to receiving your tenders by or before the submission deadline on 11.03.2018 at before: 4:00 pm at the addresses specified in the documents.

Thank you for your cooperation.

Sincerely Yours,

South Sudan Coordination Office

Nermin Silajdzic. Country Logistics & Security Manager – South Sudan Plot No. 445, Block 3, Kololo - US Embassy Road Co South Sudan

Central Equitorial State, Juba.

M: +211 (0) 911 746 963 · M: +211 (0) 924 767 949

nermin.silajdzic@malteser-international.org · Skype: nsilajdzic

www.malteser-international.org
Malteser International Europe/Malteser Hilfsdienst e. V., County Court Cologne, VR 4726

Executive Board: Karl Prinz zu Löwenstein, Dr. Elmar Pankau,

Douglas Graf Saurma-Jeltsch, Verena Hölken



SECTION II Instructions to Bidders

Introduction

Malteser International is preparing to commence the Renovation of TB ward and external washroom facilities at Yei Civil Hospital in Yei Town. Malteser International is herein seeking qualified firms to undertake the contract for Renovation of tuberculosis TB ward and external washroom facilities at Yei Civil Hospital.

This document provides the instructions to bidders and forms part the Tender documents for the Renovation of TB ward and external washroom facilities at Yei Civil Hospital in Yei Town.

The ITB identification reference is ITB/JUB/2019/0021

Multiple bidding is not allowed. A firm can only bid for 1 (one) lot.

	t allowed. A firm can only bid for 1 (one) lot.	
Works	The works include: The Renovation of TB ward and external washroom facilities at Yei Civil Hospital in Yei Town	
Contact for correspondence, notifications and requests for clarifications Bidder Eligibility	All correspondence, notifications and requests for clarification in relation to this ITB shall be sent to: Malteser Country Coordination, Plot No 445 Kololo road 3K South Tomping Juba – South Sudan Malteser International will only contract with a single legal entity. Where companies wish to enter their bids as Joint Ventures they shall indicate the lead company, which Malteser International would enter, contract with, all other companies shall sub contract to this entity. The composition or the constitution of the joint venture, consortium or association shall not be altered without the prior consent of Malteser International.	
Clarifications	Requests for clarification from bidders will not be accepted any later than 5 days before the Deadline for Submission of Bids.	
Site Inspection	Before submitting the Tender, the Bidder advised to complete a visit to the project sites to familiarize itself with the condition of the site. Failure to visit the site shall be deemed a Bidder's risk and shall not be accepted by Malteser International, at any time, as a reason for failure to meet the requirements of the Contract. In submitting a bid, it is assumed that the Bidder has visited the site.	
Bid validity period	Bids shall remain valid for acceptance by the employer for 90 Days from the deadline for submission of Bids.	
Bid Currency	Prices shall be quoted in United States Dollars (USD).	
Duties and Taxes	The Bidder shall price his Bid including all duties, taxes, levies and other charges in force in the South Sudan.	
Language of bids	All bids, information, documents and correspondence exchanged between Malteser International and the bidders in relation to this tender shall be in English	



Bid Submissions	Tenders in sealed envelopes shall delivered / submitted in hardcopy
	to:
	Malteser Country Coordination,
	Plot No 445 Kololo road 3K South Tomping
	Juba – South Sudan
Deadline for Submission	All Tender must be submitted 11.03.2018 at before: 4:00 pm
of	
Bid Opening	Bids will be opened in private by Malteser International

ITB Documents

The ITB documents consist of:

itation to Bid
tructions to Bidders
pendix to Tender.
nditions of Particular Application
neral conditions
ope of Works
ls of Quantities
chnical Specifications
nwings

Manner of Submission

Technical Proposal

Technical information should be prepared in the following manner:

- a. The Bidder shall prepare a method statement inclusive of a preliminary program as part of their bid. It shall be utilised to assess the Bidders understanding of the project and logical progression of works to facilitate phased renovation in an effective, efficient and safe manner. The method statement shall at a minimum:
 - i. illustrate tenderer's organization for executing the works inclusive of proposed methodologies for management and execution of the works,
 - ii. list of major sub-contractors and parts of the works which the bidder intends to sub contract,
 - iii. proposed staff details and CVs of Construction manager and Site Engineer,
 - iv. projected build-up of labour on site both local and foreign for each phase,
 - v. projected build-up of machinery on site for each phase,
 - vi. demonstrate where materials shall be sourced and where materials shall be disposed of.
 - vii. demonstrate how the works will be progressed in a safe manner.

The preliminary works program shall be as detailed as possible. It shall show the level of detail appropriate to each stage of the Works and all activities each of which shall be given a short title.

In his preliminary programme of works, the Contractor shall identify all the constraints he envisages to the timely mobilisation.

- b. All supporting documentation required by this ITB including but not limited to:
 - i. Signed Client references from previous projects,



c. Any other documents as required by this ITB or the Employer and this shall include:

- ✓ Legal Status of the Company and Information required includes: Principal Place of Business & Addresses (Location, Office Telephone, and Email); Full Details of Company Representative (Name, Title, Telephone & E-mail); Copy of Relevant Certificates (Renewed Registration Certificate, Copy of Valid Trading License FY 2017/2018, Copy of Income Tax Clearance Certificate-FY 2018 and VAT Registration Certificate.
- ✓ Financial Situation of the Company and Information required includes: Adequacy of Working Capital for Works USD and Average turnover for the past 2 years in USD (construction only)
- ✓ Experiences and Works References and information required includes: Provide for project name, value, brief description of scope of works and location of any 2 recent similar projects completed; Provide completion certificate of Works as proof of evidence and provide Referees for recently completed projects mentioned above (Name of contact person, Title and contact details—Telephone & Email)
- ✓ Manpower Requirement: Provide proposed Project Manager and Site Foreman assigned for the engagement (Names, Qualifications, CVs and Years of Relevant Experience) and provide Details of relevant project staff deployed for the engagement (Categories/ Roles and number of staff),
- ✓ Plant and Equipment: Provide lists of relevant plants and equipment owned or leased to be used for the Works. Provided list of key equipment,

Financial Proposal:

Financial Proposal should consist of a completed BOQ (including Summary Sheet). Please note that all sums given in tenders must be in the currency as stated in the Contract.

- a) Letter of tender containing the Bidder's lump sum financial proposal,
- b) The Bidder shall fill in rates and prices for all items of the Works described in the Bill of Quantities. Items, for which no rate or price is entered by the Bidder, will not be paid for by the Employer when executed and shall be deemed covered by the other rates and prices in the Bill of Quantities,
- c) The Bill of Quantity received with this document shall not be modified,
- d) Where the Bidder observes errors or omissions in the quantities stated, these shall be brought to the attention of the Employer via a tender query.

The original and all copies of the Bid shall be typed or written in indelible ink and shall be signed by a person or persons duly authorised to sign on behalf of the Bidder. All pages of the Bid shall be initialled by the person or persons signing the Bid.

BID OPENING AND EVALUATION

Malteser International will open the bids in private. Malteser International will record the Bid opening strictly in accordance with Malteser International procedure.

The Bidders will not be invited to the Bid opening.

Non-Compliant Tenders

The Malteser International's decision on whether a tender is compliant or not will be final.

If a tender fails to comply in any respect with the requirements set out in these instructions, or is ambiguous, the Malteser International shall be entitled at its absolute discretion (but shall not be obliged) to take such action as it considers appropriate.



Where a technical proposal is deemed non-complaint with the requirements of the ITB, the Bidder's financial proposal shall not be opened.

Evaluation and Award

Evaluation Method

Bids shall be evaluated according to the following procedure:

Firstly, bids shall be evaluated for technical compliance based on;

- Technical expertise and implementation methodology
- Previous experience in similar project
- Resources and key personnel

Secondly, bids that are found to be technically compliant shall be evaluated based on price and value for money, analysing all relevant costs, risks and benefits of each bid throughout the whole life cycle of the works and in the context of the project as a whole. The evaluation shall be in accordance with the provisions of this ITB and in accordance with the following weighting:

Title	Maximum Points
1. Technical Proposal	60
2. Financial proposal	40
Total maximum points to be attributed	100

- a. The set criteria shall be used to determine the most economically advantageous tender for contract award,
- b. The Bidder's initial proposal should contain the offer's best terms from a cost or price and technical standpoint,
- c. If bids are determined to be equivalent based on the technical criteria, price will then become the deciding criterion for award,
- d. Bidders are forewarned that an acceptable proposal with the lowest price may not be selected if award to a higher-priced proposal affords Malteser International a greater overall benefit,
- e. The Malteser International will favourably evaluate a schedule, which shows earlier completion than the Malteser international's required time frame. The Bidder's innovative approaches to accomplish early completion are encouraged.

Clarification of bids

The Malteser International may request clarification or further information in writing from the Bidders at any time during the bid process. The Bidders' responses shall not contain any changes regarding the substance or price of the bid.

Award of Contract

Notification of award and signing of Agreement

- a. The notification of award will be informed to the successful Bidders,
- b. The Agreement will comprise the entire agreements between the Malteser International and the successful Bidder. It will be signed by the Malteser International and sent to the successful Bidder. Within 7 days of receipt, the successful Bidder will sign the Agreement and deliver it to the Malteser International.

Performance Security?

a. The successful Bidders shall deliver to the Malteser International within 14 days of signing the Agreement, the original Performance Security in the amount stipulated in the Appendix to Tender in Section IV.



- b. The Performance Security is to be provided by the successful Bidders in the form attached to in Section X of this Bidding Documents.
- c. The Performance Security shall be in accordance with Clause 4.4 of Particular Conditions of Contract (see Appendix to Tender) and shall be valid until the date given.
- d. Failure of the successful Bidder to provide the Performance Security within the period specified shall constitute sufficient grounds for cancellation of the award and forfeiture of the Bid Security.
- e. Upon the furnishing by the successful Bidder of the Performance Security, the Malteser International will promptly notify the other Bidders that their bids have been unsuccessful.

Checklists of Documents be returned

The following checklists are included to help remind the Bidders that the bids submission shall include the following documents for the bids. Documents shall be complied in the order specified below:

Conti	ractor Name:	
No.	List of documents to be submitted	Mark X if attached
1	A completed copy of this Checklist	
2	Sign/initial every page of ITB (all sections) and return	
3	Sign/initial every Clarification/ Addendum/Tender Bulletin if issued	
5	Technical Proposal Including:	
	a) Legal status information of the company: Principal Place of Business & Addresses, Full Details of Company Representative, and Copy of Relevant Certificates	
	b) Organogram of project team	
	c) Detailed CVs of Key team members (Project Manager and Site Engineer/Foreman)	
	d) Details of relevant project staff to be deployed for the engagement (Categories/Roles and number of staff)	
	e) Financial Situation of the Company: Adequacy of Working Capital for Works and Average turnover for the past 3 years (construction only)	
	f) Plant and equipment to be deployed for the engagement	
	g) Experiences and Works References: Provide project name, value, brief description of scope of works and location of any 4 recent similar projects completed and completion certificate of Works as proof of evidence; provide Referees for recently completed projects mentioned above	
	h) Method statement	
	i) Works Programme	
	j) Quality Control Plan	
	k) Preliminary Health and Safety Plan	



	Financial Proposal Checklist	
Con	tractor Name:	
	List of documents to be submitted	Mark X if attached
1	A completed copy of this Checklist	
2	Letter of Tender	
3	Completed Bill of Quantities (With every page initialed)	

Name:			
Signature			
Signature:			

SECTION III APPENDIX TO TENDER

Item	Data		
Documents forming the	a) The Agreement,		
Contract listed in the order of	b) Particular Conditions,		
priority	c) General conditions,		
100	d) Scope of Works,		
	e) Bill of Quantities		
	f) Drawings		
	g) Letter of Tender and the ITB		
Contracting Party	Malteser International		
Governing Law	Law of the Country – Republic of south Sudan		
Language	English		
Provision of Site	On the Commencement Date		
Name and Address of Malteser	To be notified in writing by the Authorised Person		
International's Representative			
Contractor's Representative	To be notified in writing by the Contractor		
Subcontracting	The value of subcontracted Works shall not exceed 20% of		
	Contract Price		
Performance Security	10% of Contract Price		
Amount:			
Performance Security:	Attached in Appendix X of ITB		
Form			
Time for Completion	104 days calculated from the date of signing the Agreement		



Item	Data
Programme: Time for submission	Within 14 days of Commencement Date
Delay Damages	0.10% of Contract Price per day up to a maximum of 10%
Defects liability period	60 days calculated from the date stated in the notice under Sub-Clause 6.5
Percentage of retention	10% of the payment for six months
Currency	US Dollars

SECTION IV

PARTICULAR CONDITION

Particular conditions

1. General Provisions

- 1.1 Definitions
- 1.1.1 "Variation" means a change to the Specifications and/or Drawings (if any), which is instructed by the Malteser International,
- 1.1.2 "Date of Substantial Completion" means the date when the Works have reached substantial Completion as stated in the Taking-Over Certificate,
- 1.1.3 The "Defects Notification Period" means the period for notifying defects in the Works,
- 1.1.4 The "Final Completion Certificate" means the certificate issued under Sub-Clause 9.4,
- 1.1.5 "Taking-Over Certificate" means a certificate issued under Clause 6.5 certifying that the Works have reached Substantial Completion and stating the date of Substantial Completion,
- 1.1.6 'Contract' means the Agreement and other documents listed in the Appendix,
- 1.1.7 'day' means calendar day
- 1.1.8 'Force Majeure' means an exceptional event or circumstance which is beyond a Part's control; which such party could not have provided against before entering into contract; which, having arisen such Party could not reasonably have avoided or overcome and which is not substantially attributable to other party.
- 1.2 Communication
- 1.2.1 The Contractor shall neither seek nor accept instructions from any authority external to the Malteser International in connection with the performance of its obligations under the Contract.
- 1.3 Assignment
- 1.3.1 The Contractor shall not assign, transfer, pledge or make other disposition of this Contract or any part thereof, or any of the Contractor's rights, claims or obligations under this Contract except with the prior written consent of the Malteser International,
- 1.4 Malteser International's Use of Contractor's Documents,
- 1.4.1 As between the Parties, the Contractor shall retain the copyright and other intellectual property rights in the Contractor's Documents and other design documents made by (or on behalf of) the Contractor. The Contractor gives and shall be deemed (by signing the Contract) to give to the Malteser International a perpetual, non-terminable, transferable non-exclusive, royalty-free, worldwide license to copy, use and communicate the Contractor's Documents, including making and using modifications of them,
- 1.5 Confidential nature of Documents and Information
- 1.5.1 The Contractor shall treat the details of the contract as private and confidential, except to the extent necessary to carry out obligations under it or to comply with applicable Laws.



1.5.2 All information provided to either party by either party shall be held in confidence by all Parties.

- 1.6 Law
- 1.6.1 The law of the contract is stated in the Appendix,
- 2. The Malteser International
- 2.1 Provision of Site,
- 2.1.1 The Malteser International shall provide the site,
- 2.2 Malteser International instructions,
- 2.2.1 The contractor shall comply with all instructions given by the Malteser International in respect of the Works including the suspension of all or part of Works,
- 2.3 Approvals
- 2.3.1 No approval or consent or absence of comment by the Malteser International or the Malteser International's representative shall affect the Contractors obligation.
- 3. Engineer / Malteser International's Representative
- 3.1 The Malteser International may appoint an Individual to carry out certain duties.
- 4. The Contractor
- 4.1 General obligation
- 4.1.1 The Contractor shall carry out Works Properly and in accordance with the contract. The Contractor shall provide all the supervision, labour, Materials, Plant and Contractor's equipment which may be required.
- 4.2 Contractors representative
- 4.2.1 Contractor shall submit to the Malteser International the name and particulars of the person authorized to receive instructions on behalf of the Contractor,
- 4.3 Subcontracting
- 4.3.1 The Contractor shall not subcontract the whole of the works. The contractor shall not subcontract any part of the Works without consent of the Malteser International,
- 4.4 Performance Security
- 4.4.1 Contractor shall deliver to the Malteser International within 14 days of commencement date a performance security in a form and from third party approved by the employer,
- 4.5 Safety Procedures
- 4.5.1 The Contractor shall comply with the requirements of the specification and all applicable local and national laws governing the health and safety requirements for the protection of employees and any others entering the Site,
- 4.6 Site Data
- 4.6.1 The Contractor shall be deemed to have obtained all necessary information as to risks, contingencies and other circumstances which may influence or affect the Tender or Works. To the same extent, the Contractor shall be deemed to have inspected and examined the Site, its surroundings, the above data and other available information, and to have been satisfied before submitting the tender,
- 4.7 Sufficiency of the Contract Amount
- 4.7.1 The Contractor shall be deemed to:
 - a) have satisfied himself as to the correctness and sufficiency of the Contract Price, and
 - b) have based the Contract Price on the data, interpretations, necessary information, inspections, examinations and satisfaction as to all relevant matters referred to in Sub-Clause 4.6..
- 4.7.2 Unless otherwise stated in the Contract, the Contract Price covers all the Contractor's obligations under the Contract and all things necessary for the proper execution and completion of the Work and the remedying of any defects,
- 4.8 Contractor's Equipment



- 4.8.1 The Contractor shall be responsible for all Contractor's Equipment. When brought on to the Site, Contractor's Equipment shall be deemed to be exclusively intended for the execution of the Works. The Contractor shall not remove from the Site any major items of Contractor's Equipment without the written consent of the Malteser International. Consent shall not be required for vehicles transporting Goods or Contractor's Personnel
- 4.9 Supply of Electricity and Water
- 4.9.1 The Contractor must provide on the Site, for the duration of the Works, an adequate supply of drinking and other water for the use of its staff and labour. The Contractor shall also provide power and other services required for him to undertake the Works.

4.10 Progress Reports

4.10.1 Progress reports shall be prepared by the Contractor and submitted to the Malteser International's Representative containing the project progress information required by the Contract. The Contractor shall issue the report in the number of copies and at the intervals stated in the Scope of Works.

4.11 Contractor's Personnel

- 4.11.1 The Contractor's Key Personnel are named in the Tender. The Contractor must not replace the Key Personnel without prior written consent of the Malteser International and must submit to the Malteser International for approval the names and particulars of the persons the Contractor proposes to replace.
- 4.11.2 The Contractor's Personnel must be appropriately qualified, skilled and experienced in their respective trades or occupations. The Malteser International may require the Contractor to remove (or cause to be removed) any person employed on the Site or in the execution of the Works, including the Contractor's Representative who in the opinion of the Malteser International.
 - a) persists in any misconduct or lack of care,
 - b) carries out duties incompetently or negligently,
 - c) fails to conform with any provisions of the Contract or
 - d) persists in any conduct which is prejudicial to safety, health, or protection of the environment.
- 4.11.3 Where this Sub-Clause 4.11.2 applies, the Contractor must then appoint a suitable replacement person for each person so removed.
- 4.11.4 The Malteser International will not be liable for or in respect of any damages or compensation payable at law in respect or in consequence of any accident or injury to any of the Contractor's Personnel, unless resulting from any act or Default of the Malteser International.

5. Malteser International Liability

- 5.1 In this Contract, Malteser International's Liabilities mean:
 - a) Force Majeure,
 - b) a suspension under Sub-Clause 2.2 unless it is attributed to the Contractor's failure, act, omission or breach.

6. Time for completion and Take over

- 6.1 Execution of the Works
- 6.1.1 The contractor shall commence the works on the commencement date and shall proceed expeditiously and without delay and shall complete the works within the Time for Completion.
- 6.2 Extension of time
- 6.2.1 Subject to clause **8.3** the contractor shall be entitled to an extension of Time for completion if he is or will be delayed by employers Liabilities. On receipt of the application, the Malteser



International shall consider all the supporting details provided by the contractor and shall extend the time for completion as appropriate.

- 6.3 Late Completion
- 6.3.1 If the Contractor fails to complete the Works within the Time for completion, the contractor's liability to the Malteser International for such failure shall be to pay amount sated in the Appendix for each day for which he fails to complete the works.
- 6.4 Take-Over
- 6.4.1 The contractor may notify the employer when he considers that works are complete
- 6.5 Take-Over Notice
- 6.5.1 The Malteser International shall notify the contractor when he considers that the contractor has completed the works stating the date accordingly. The Malteser International shall take over the works upon the issue of this notice. The contractor shall promptly complete all the outstanding works and subject to clause 7 clear the site.

7. Remedying Defects

7.1 The Malteser International may at any time prior to the expiry of the period stated in the appendix, notify the contractor of any defects or outstanding work. The contractor shall remedy at no cost to the employer any defects due to the contactors design, materials, plant or workmanship not being in accordance with the contract.

8. Variations and Claims

- 8.1 Right to Vary
- 8.1.1 The Malteser International may instruct Variations.
- 8.2 Valuation of Variations
- 8.2.1 Variations shall be valued as follows
 - a) At lump sum price agreed between the Parties,
 - b) Where appropriate at rates in the contract or
 - c) In the absence of rates the rates in the Contract shall be used as the basis for valuation or failing which,
 - d) At appropriate new rates, as may be agreed or which the employer considers appropriate.
- 8.3 Early Warning
- 8.3.1 A Party shall notify the other as soon as he is aware of any circumstance which may delay or disrupt Works, or which may give rise to a claim for additional payment. The contractor shall take all reasonable steps to minimize these effects. The contractor's entitlement to extension of time for completion or additional payment shall be limited to the time and payment which would have been due if he had given prompt notice and had taken all reasonable steps.
- 8.4 Variation and Claim Procedure.
- 8.4.1 The contractor shall submit to the Malteser International an itemized makeup of the value of the variations and claims within 28 days of the Instruction or of the event giving rise to the claim. The Malteser International shall check and if appropriate agree the value. In absence of agreement, the Malteser International shall determine the value.
- 8.5 Adjustment for Changes in Cost
- 8.5.1 Unless otherwise expressly stated, the Contract Price, and the rates and prices inserted in the Bill of Quantities, will not be adjusted for rises or falls in the cost of labour, goods and other inputs to the Works and the Contract Price and the rates and prices inserted in the Bill of Quantities, will be deemed to include amounts to cover contingency of rises and falls in the cost of labour, goods and other inputs to the Works.
- 9. Contract Price and Payment
- 9.1 Valuation of Works



- 9.1.1 The Malteser International shall pay the Contract Price in accordance with this Clause 9 and the Scope of Works annexed to the Contract. The Contractor is deemed to have satisfied itself as to the correctness and sufficiency of the Contract Price and all fixed unit rates and prices in the Contract.
- 9.2 Interim Payment
- 9.2.1 Within 28 days of delivery of each statement submitted, the Malteser International will pay to the Contractor the amount shown in the Contractor's statement less retention at the rate specified in the Appendix to Tender and less any amount to be deducted for Advance Payment (if any) and repayments (if any), and less any other amount for which the employer has specified its reasons for disagreement or that has become due under the Contract. The Malteser International is not bound by any sum considered to be due by the Contractor.
- 9.2.2 The Malteser International may withhold interim payments until it receives the performance guarantee under Sub-Clause 4.4 (if any).
- 9.3 Payment of Retention
- 9.3.1 The retention will be paid by the Malteser International to the Contractor within 14 days after six month of completion of the work.
- 9.5 Payment
- 9.5.1 Within 14 days after receiving the Final Completion Certificate, the Contractor must submit a final account to the Malteser International together with any documentation reasonably required to enable the Malteser International to ascertain the final contract value.
- 9.6 Delayed Payment
- 9.5.1 The Contractor is not entitled to any interest in respect of any amount in any statement submitted to the Malteser International which remains due and unpaid.

10. Default and termination

- 10.1 Default by the Contractor
- 10.1.1 If the Contractor abandons the Works, refuses or fails to comply with a valid instruction of the Malteser International or fails to proceed expeditiously and without delay, or is in breach of the Contract, the Malteser International may give notice referring to this Sub-Clause and stating the default.
- 10.1.2 If the Contractor has not taken all practicable steps to remedy the defaults with 14 days after the Contractor's receipt of the Malteser International's notice, the Malteser International may by a second notice of 14 days, terminate the Contract.
- 10.1.3 The Malteser International reserves the right to terminate the Contract immediately without written notice if the Contractor is declared insolvent or is in breach of the contract
- 10.1.4 If the Malteser International serves a termination notice under this Sub-Clause 10.1, the Contractor must stop work and demobilize (except to the extent specified in the notice from the Malteser International).
- 10.2 Payment upon Termination
- 10.2.1 After termination, the Contractor shall be entitled to payment of the unpaid balance of the value of the Works executed and of the Materials and Plant reasonably delivered to the Site, adjusted by the following:
 - a) any sums to which the Contractor is entitled.
 - b) any sums to which the Malteser International is entitled,
 - c) if the Malteser International has terminated under Sub-Clause 10.1, the Malteser International shall be entitled to a sum equivalent to 10% of the value of those parts of the Works not executed at the date of the termination,
- 10.3 Malteser International's Entitlement to Terminate for Convenience



10.3.1 The Malteser International may in its absolute discretion terminate the Contract, at any time for the Malteser International's convenience, by giving notice of such termination to the Contractor. The termination will take effect 28 days after the later of the dates on which the Contractor receives this notice, or the Malteser International returns the Bank Guarantee for performance.

11. Risks and Responsibility

- 11.1 Contractor's Care of the Works
- 11.1.1 The contractor shall take full responsibility for the care of the works from the commencement date until the employer takes over the completed works.
- 11.2 Force Major
- 11.2.1 If a party is or will be prevented from performing any of its obligations by force Majeure, the party affected shall notify the other party immediately. If necessary, the contractor shall suspend the execution of works and to the extend agreed with the employer demobilize the contractor's equipment

If the event continues for period of 84 days either party may give notice of termination which shall take effect 28 days after giving the notice.

12. Insurance

12.1 The contractor shall, prior to commencing the works effect and thereafter maintain insurances for the Works, Materials, Plants and contractor's equipment and Manpower including third parties.

13. Resolution of Disputes

- 13.1 Resolutions of Disputes
- 13.1.1 Disputes shall be settled amicably

SECTION V GENERAL CONDITIONS

(Separate attachment)

SECTION VI SCOPE OF WORKS

Scope of Works

The scope of the Works of Renovation of TB ward and external washroom facilities at Yei Civil Hospital in Yei Town under this ITB consists of but not limited to following activates:

The works

Contractors general obligation

Preconstruction, mobilization and demobilization,

Site clearance, ground preparations, removal Collapsed roof and Ceiling

Site clearance and disposal of all waste materials arising from clearing

Removal of the existing collapsed roof and concrete ceiling, sorting the waste materials,

Sub-structure

Excavation of foundations footings for circular columns,

Casting Plain Concrete (1:2:4) to 100mm thick for the footing base, all including forms works as describe in the drawing,



Casting Reinforced concrete (1:2:4) for the footing at thickness of 30 cm, short column of 0.4 m dia, great beam (0.3 X 0.3 m) and extension of the existing rams all including form works and proper curing as shown in the drawing,

High tensile steel bars (12mm and 8mm) including cutting bending tying, hooking and fixing for footing basement, short columns, beam and rams,

Imported marram (gravel) well spread levelled and compacted in all the footings,

Super-structure

High tensile steel bars (12mm and 8mm) including cutting bending tying, hooking and fixing for circular columns and ring beam (0.25X0.25m),

Casting concrete (1:2:4) to circular columns of 0.4 m diameter and ring Beam all including forms works.

Removal of collapsed wall and wall with major crack and reconstruct in well burnt clay red bricks together with ventilation bricks,

Construct 200mm thick wall on the ring beam and super-structure wall with well burnt clay bricks/concrete solid blocks bedded and jointed in cement sand (1:4) mortar together with ventilation brick,

Roofing

Supply all required items and construct roof as per the drawing (hard timber rafter 6"X2", timber purlins 4"X2", tie beam 8X2 hard timber, Joint members 4X2 all joint are tied with metal plate and painted in wood preserver and nailed with plastic rubber) timber facial boards 9"X1" including painting, preprinted corrugated roofing sheets gauge 28) as details in the drawing,

Finishes

Internal and external plastering 13mm thick with 1:4 cement sand mortar,

Rendering/ smoothing concrete floor and aproned with cement then painted for the ward, external latrine and the bathing rooms,

Painting

Prepare surface, re- apply primer coats and three coats of plastic emulsion paint to external and internal rendered surfaces for the wards, latrine and the bathing room (interior bathroom should be painted in oil paint),

Wooden Ceiling

Use 3X2 hard timber from inside as support for wooden board of 6 mm and 2x 1 for joins from the outer part then painted with emulsion,

Plumbing

Revising and replacing weak and damaged plumbing connections for both water and sewage system and supplying all necessary requirements (hand washing sinks metallic and ceramic, tape, etc.) and the bathing rooms. Installation water station with 4 taps, connect the ward to the hospital main ward distribution and testing,

Electrical work

Revising electrical wiring, supply and install all the damaged lamps, capes, etc. and testing,

Fittings



Repair and re-painting all the existing doors (Metallic and wooden) and fixing all the broken glasses at the metallic doors and each with new locks,

Repair all the broken glasses, mosquito mesh and re-painting all the existing windows of the ward

Replacing all the doors for the external latrine and the bathing rooms in metallic doors including fabrication painting and installation and introducing 2door at the entry of the toilets,

Supply and install 1.5 inched dia galvanized circular hollow section hand rails at edges of the ramps,

Connecting the ward with water from the hospital's main distribution using PPR 2" pipe, introducing control chamber and repairing all the water taps, includes excavation, pipe installations, other accessories and testing,

Construct a well burnt red brick hand washing facility of height 1.2 M, length 1.5M and width of 0.6M with 2 taps connected to the water source and the waste pipe is insert in the ground (Soak away).

Reporting and documentation.

- Preparations and maintenance of daily photographic record of activities, issues of interest and progress,
- Supply and maintenance of site diary throughout the duration of the project,
- Bi-weekly, monthly and ad hoc reports as may be instructed by the employer.

SECTION VII BILLS OF QUANTITY

(Separate attachment)

SECTION VIII TECHNICAL SPECEIFICATIONS

1.1 MATERIALS GENERALLY

All materials used on the works shall be new and of the qualities and kinds specified herein and equal to the approved samples. Materials and methodology for the execution of the works shall be submitted to for to the Malteser International Representative for relevant approval, before commencement of the works. Non approved material incorporated in the works, will make the executed works null and void to all fields and shall be removed and replaced with the approved ones at the contractor's expense and care, in this case the contractor will not be eligible for extension of time.

1.1.1 Samples

The Contractor shall furnish for approval with reasonable promptness all samples of materials and workmanship required by the Malteser International. The employer shall check and approve such samples for conformance with the design concept of the works and for compliance with the information given in the Contractor Documents.

1.2 EXCAVATIONS AND EARTHWORK

1.2.1 Inspection of site

The Contractor is deemed to have visited the site and to have ascertained the nature of the soil and sub-soils to be excavated. No claim will be allowed on account of these being of a different nature from that for which he has allowed in his prices.

1.2.2 Site Clearance

All vegetation matter must be removed or burned on site at the commencement of the contract over areas as directed by the Malteser International's representative.



1.2.3 Excavation

If the Contractor excavates to any widths or depths greater than those shown on the Drawings or as instructed by the Malteser International's representative, the contractor shall at his own expense fill in such widths or depths of excavation beyond that instructed or shown with concrete to the satisfaction of the employer's representative.

1.2.4 Materials found in the excavations

No sand, aggregate or other materials found in the excavations is to be used in the works without the written permission of the Malteser International's representative.

1.2.5 Rates for Excavations

The rates for excavation including excavation in hard ground, must include for trimming, levelling, preparing bottoms and all faces to receive concrete, any extra excavation required for planking and strutting and disposal of excavated material.

Prices shall include for excavating in any material encountered unless specifically otherwise described.

1.3 CONCRETE WORK

1.3.1 Generally

All workmanship, materials, tests and performance in connection with the reinforced concrete work are to be in conformity with the British Standard Code of Practice (BS 8110; 1985, incorporating the latest amendments thereto), for "the Structural use of Reinforced Concrete in Buildings" and in accordance with local by-laws.

1.3.2 Cement

Cement unless otherwise specified, shall be Portland Cement of a brand approved by the Malteser International Representative and shall comply with the requirements of BS 12 with the exceptions that it may contain reactive volcanic ash (of not more than 10% of the total weight) and the quantity of insoluble residue permitted in BS 12 may be exceeded.

1.3.3 Water

The water used for mixing concrete shall be from an approved source, clean, fresh and free from harmful matter, and comply with the requirements of BS 3148.

Concrete Mix proportion and strength.

- Mix ratio for reinforced concrete shall be in the proportion 1:2:4 (cement: sand: aggregate),
- Water cement ratio for concrete shall be 0.4% to 0.45%,
- Reinforced concrete shall have minimum 28-day strength of 20 N/mm2,
- The required slump of the concrete shall be $100 \text{mm} \pm 20 \text{mm}$,
- Mix ratio for mass concrete reinforced concrete shall be in the proportion 1:3:6 (cement: sand: aggregate),
- 20mm aggregate to be used for both Mix proportions.

1.3.4 Compaction

At all times during which concrete is being placed the Contractor shall provide adequate trained and experienced labour to ensure that the concrete is compacted in the forms to the satisfaction of the Engineer.

1.3.5 Curing and Protection

Care must be taken that no concrete is allowed to become prematurely dry, and the fresh concrete must be carefully protected within two hours of placing from rain, sun and wind by means of hessian sacking, polythene sheeting, or other approved means. This protective layer and the concrete itself must be kept continuously wet for days after the concrete has been placed.



1.3.6 Faulty Concrete

Any concrete which fails to comply with these Preambles, or which shows signs of setting before it is placed shall be taken out and removed from the site. Where concrete is found to be defective after it has set, the concrete shall be cut out and replaced in accordance with the Malteser International's representative's instructions. On no account shall any faulty honeycombed, or otherwise defective concrete be repaired or patched until the Malteser International's Representative has made an inspection and issued instructions for the repair. The whole of the cost whatsoever, which may be occasioned by the need to remove faulty concrete shall be borne by the Contractor.

1.3.7 Reinforcement

All reinforcement shall be free from loose mill scale or rust, grease paint or other substances likely to reduce the bond between the steel and concrete.

1.4 MASONRY

1.4.1 Masonry Units

Masonry units shall be as indicated in the drawings and as follow:

- Burnt clay bricks
- Concrete solid blocks

1.4.2 Mortar and Bonding

Bonding mortar of 1:4 (cement: sand) ratio shall be used immediately after mixing, and mixed mortar left for more than one hour shall be rejected. Vertical and horizontal joints shall be filled completely. The spacing between the blocks in the wall is to be 10mm and raked to receive plaster.

1.5 CARPENTRY AND JOINERY

1.5.1 Generally

All woodwork shall be carried out in accordance with the drawings and the principals of first class joinery construction. Unless specifically stated otherwise sizes shown on drawings are finished sizes and the Contractor must allow for wood faces.

1.5.2 **Qualities of Timber**

All timber for permanent work in the building shall before use be approved by the Malteser International's representative for quality in accordance with the foregoing specification. Any timber not so approved by the employer's representative shall be removed from the site forthwith.

All timber is to be protected from the weather and stored in such a way as to prevent attack by decay, fungi, termites or other insects.

1.5.3 Defective Work

All work judged to be defective must be removed and replaced as directed by the Malteser International's representative.

1.6 METALWORK

1.6.1 Generally

All material shall be the best of their respective kinds free from defects and all work is to be carried out in the most workmanlike manner. The materials in all stages of transportation, handling and stacking shall be kept clean and prevented from injury by breaking, bending or distortion and weather action.

1.6.2 Metal Works (Doors and Windows)

All work shall be carried out strictly as indicated in the drawings, BOQ and approved by Malteser International Representative. Metal work to be painted shall be scaled clean and thoroughly wire brushed. All steel works shall be primed with a red lead primer (red oxide) before applying the final coat of oil paint using approved brand and color.

a) Manufacturing of doors, window, and windows grills shall be constructed with 2 mm steel plate thickness. Before manufacturing the doors, the Contractor shall control and verify the exact measurements on site.



1.7 FINISHINGS

1.7.1 Other specifications

All other specifications of this contract where applicable are deemed to apply equally to the finishing's specifications.

1.7.2 Finished thicknesses

The thicknesses of floors shall have a constant structural thickness and have level top surfaces. The finished floor surface will equally have a constant level and any adjustment needed to achieve this effect with the varying floor finish materials is to be made in the screeds beneath the same.

Slabs bearing on the ground may be cast to varying levels, and be of constant thickness with varying formation levels, or have varying thicknesses at the option of the Contractor. This stipulation in no way relieves the Contractor of the requirements of the specification for structural work.

1.7.3 Plaster

Item of Work

Mix

Internal plaster

1 part cement

4 parts sand

External Render

1 part cement

4 parts sand

Curing of plaster

Each coat of plaster is to be maintained in a moist condition for at least three days after it has developed enough strength not to be damaged by water.

Cement and sand screeds

Screeds shall be mixed and formed as described.

1.8 PAINTING

Materials

1.8.1 Manufacturers

Except where stated all materials shall be obtained from approved manufacturer. The Contractor shall state the name and address of the manufacturer whose materials be proposed to use. Once approval has been given the Contractor shall not obtain materials from other sources without the prior written agreement of the Malteser International.

1.8.2 General

Each succeeding coat of priming, undercoating and finishing (pigment) of clear coating shall be sufficiently differently different in colour as to be readily distinguishable.

All primers and paints in one system upon a particular surface shall be obtained from the same manufacturer.

The mixing of paints etc. of different brands before or during application will not be permitted.

1.8.3 Emulsion paints

Emulsion paints shall be matt or satin finish vinyl emulsion paint.

The first (mist) coat shall be thinned in accordance with the manufacturer's instructions.

1.8.4 Gloss paint

Gloss paint shall be hard gloss finish oil paint.

1.8.5 Primers and undercoats

Unless otherwise specified, primers and undercoats shall be of the type recommended by the manufacturer of the finishing coats specified for a particular surface. Primer for external bare metal work surfaces shall comply with BS 2523.

1.8.6 White spirit

The white shall comply with BS 245



1.8.7 Inspection

No priming coats shall be applied until the surfaces have been inspected and preparatory work has been approved by the employer's representative. No undercoats or finishing coats shall be applied until the previous coat has been similarly inspected and approved.

1.8.8 Paint application

Each coat of paint shall be so applied as to produce a film of uniform thickness. All paint shall be applied in accordance with the manufacturer's instructions. Special attention shall be given to ensure that all surfaces including edges, corners, crevices, welds and rivets receive a film thickness equivalent to that of adjacent painted surfaces.

1.8.9 **Colors**

The colors will be selected by the employer's representative from the paint manufacturer's standard colour range.

1.8.10 Protection

Proper care must be taken to protect surfaces while still wet by using of screens and 'wet paint' signs where necessary.

1.8.11 **Damage**

Care must be taken when preparing surfaces, or painting etc. not to stain or damage other work. Dust sheets and covers to the satisfaction of the Architect shall be used to protect adjacent work. Any such stains or damage shall be removed and made good at the Contractor's expense.

Roofing sheets

Roofing sheets shall be G 28 pre-painted sheets. Colour shall be selected by the employer's representative

Vent pipe

The vent pipes shall 100 mm dia pipes including the cape.

Cleaning and handing over

The site shall be cleared of any debris arising from the works and disposed of in an area approved by the local authority. All completed structure shall be washed clean before handing over.

SECTION IX DRAWINGS

(Separate attachment)