





APPROACH

GENERAL NOTE	
1. All dimensions are in millimeters (mm). Contact ForAfrika engineer should there be a need for further clarity.	
2.. Concrete mix ratio: 1:2:4	
3. Sand: Sharp river sand	
4. Reinforcements: 10mm stirrups, 12mm beam and 18mm main	
5. Vertical stanchion H-Channel: 152mm x 76mm	
6. Horizontal H-beam support: mm	
7. Main H-beam rafter sitting on Vertical stanchion: 152mm x 76mm	
8. Top H-channel holding base grating sheet carrying tanks	
9. Plate grating sheet	
Designed & Approved by	ForAfrika WASH TEAM
Firm Name & Address For Afrika to Thrive Kujok Field Office, Warrap State	
Project Name & Address Construction of 5000L capacity stanchion	
Page Name: View 3	Sheet no.
Date: December 2025	3
Scale: 1:1	



GENERAL NOTE

1. All dimensions are in millimeters (mm). Contact ForAfrica engineer should there be a need for further clarity.
2. Concrete mix ratio: 1:2:4
3. Sand: Sharp river sand
4. Reinforcements: 10mm stirrups, 12mm beam and 16mm main
5. Vertical stanchion H-Channel: 152mm x 76mm
6. Horizontal H-beam support:mm mm
7. Main H-beam rafter sitting on Vertical stanchion: 152mm x 76mm
8. Top H-channel holding base grating sheet carrying tanks
9. Plate grating sheet

Designed & Approved by

Firm Name & Address
For Afrika to Thrive Field Office

Project Name & Address

Construction of 5000L capacity stanchion

Page Name:	View 2	Sheet no. 2
Date:	Dec 2025	
Scale:	1:1	

SIDE

GENERAL NOTE

1. All dimensions are in millimeters (mm). Contact ForAfrica engineer should there be a need for further clarity.

Designed & Approved by
ForAfrica WASH TEAM

Firm Name & Address

ForAfrica to Thrive

Project Name & Address

Solar Borehole Construction


Page Name
View 9

Date: October 2025

Scale: 1:1

Sheet no.

9



Wire mesh fence approach view