

REQUEST FOR EXPRESSION OF INTEREST AND QUOTATIONS

HealthNet TPO South Sudan program in Raja in collaboration with the County Health Department of Raja County invites interested contractors to express interest and submit Bills of Quantities (quotations) for carrying out the following civil works: -

1. Renovation of Raja Hospital Theatre.
2. Renovation of Timsah PHCC Drug Store.
3. Renovation of Menamba PHCU Maternity Block.
4. Renovation of Raja County Health Department Drug Store.
5. Renovation of Raja County Health Department of Office.

Please refer to the attached renovation specifications/guidelines while preparing your quotations. Interested Contractors should submit their letter of expression of interest and quotations to info@ss.hntpo.org with c.c to pm.raja@ss.hntpo.org and spha@ss.hntpo.org

Letters expressing interest and quotations may also be hand delivered to HealthNet TPO Raja field office (Raja town behind the market) or HealthNet TPO Juba office (SADECO Centre 1st Floor, Airport Road.

With the letter expressing interest you must include the following documents:

1. Copy of a valid license and/or registration permit from the Government of South Sudan, Tax clearance certificate (proof of registration is a must).
2. Professional certificates of key staff to be undertaking this works and their CV.
3. A brief description of previous similar works in the last three years (construction portfolio), with three referees whom we should be able to contact for verification.
4. Letter of commitment to show that you have adequate equipment, finances and key personnel for the specified types of works. NOTE: HealthNet TPO does not prefinance renovations, payments are done only after satisfactory completion of work.
5. A pictorial illustration showing that the contractor accessed and assessed the facility the Facility that is quoted for.

You may express interest in one or all the facilities to be renovated using the same documents but quotations must be submitted separately for each facility. Clearly indicate in the letter which facilities you are expressing interest. **Include your contacts (Phone and Email) in the letter of interest.**

Submissions will be received until 04th January 2021



RENOVATION GUIDELINES/SPECIFICATIONS

1. RENOVATION OF RAJA HOSPITAL THEATRE

General guideline of Areas to be rehabilitated:

1. Annex a recovery room of 3*5 meters with an Inner Toilet. Connect power into the recovery room as well.
2. Ceiling: Replace with the Gypsum or Chipboard Ceiling
3. Roof: Replacing the roof, use standard material, iron sheets of 28 Gauge.
4. Walls: Repair cracks and faults then paint with oil/emulsion (3 coats). Paint up to outside the building.
5. Doors: Fabrication of doors and Windows
6. Windows and vents: Replace the wire-netting on all the vents and windows which are not in good shape or cannot be repaired
7. Floor: Hacking of the floor, removal of debris, casting and screeding of the floor.
8. Plumbing: Review and repair the plumbing system of the CEMONC center.

2. RENOVATION OF TIMSAH DRUG STORE

General guideline of Areas to be rehabilitated:

1. Roof: Replace the current Roof, use standard material, iron sheets of 28 Gauge.
2. Ceiling: Put Chipboard Ceiling
3. Walls: Repair cracks and faults then paint with oil/emulsion (3 coats). Paint up to outside the building
4. Doors: Paint and replace locks and handles. Also replace the doors which are not in good condition.
5. Windows and vents: Replace the wire-netting on all the vents and windows which are not in good shape or cannot be repaired
6. Floor: Hacking of the floor, removal of debris', casting and screeding (with cement) of the floor

3. RENOVATION OF MENAMBA PHCU MATERNITY BLOCK

General guideline of Areas to be rehabilitated:

1. Roof: Replace the current Roof, use standard material, iron sheets of 28 Gauge.



2. Ceiling: Put Chipboard Ceiling
3. Walls: Repair cracks and faults then paint with oil/emulsion (3 coats). Plaster and Paint up to outside the building.
4. Doors: Paint and replace locks and handles. Also replace the doors which are not in good condition.
5. Windows and vents: Replace the wire-netting on all the vents and windows which are not in good shape or cannot be repaired
6. Floor: Hacking of the floor, removal of debris', casting and screeding (with cement) of the floor, and Building of the veranda
7. Annexed Toilet: Clean, repair the floor and paint the wall, repair the doors/vent pipes.

4. RENOVATION OF RAJA COUNTY HEALTH DEPARTMENT DRUG STORE

General guideline of Areas to be rehabilitated:

1. Wall: Minor repair of cracks, and paint both inside and outside
2. Floor; Building the veranda, Hacking of the floor, removal of debris', casting and screeding (with cement) of the floor
3. Ceiling: Put Standard Chipboard Ceiling
4. Filling the wall, Sanding of the wall, 3 coat Painting of the internal and external wall.
5. Doors and Windows: Do minor repairs, paint and replace locks. Replace extremely spoilt doors or windows

5. RENOVATION OF RAJA COUNTY HEALTH DEPARTMENT OFFICE

General guideline of Areas to be rehabilitated:

1. Wall: Minor repair of cracks, and paint both inside and outside
2. Floor; Building the veranda, Hacking of the floor, removal of debris', casting and screeding (with cement) of the floor.
3. Ceiling: Put Standard Gypsum Ceiling
4. Doors and Windows: Do minor repairs, paint and replace locks. Replace extremely spoilt doors or windows.
5. Filling the wall, Sanding of the wall, 3 coat Painting of the internal and external wall.
6. Install a 500-Watt Solar System with all accessories
7. Construct a wire Mesh Fence for the CHD office
8. Toilets: Hacking, removing the debris, screeding (with cement) the floor, filling and 3 coat painting of the internal walling.

