



Roof pitch 25 deg  
Roman ridge caps on, Roman roofing  
Plain sheets on, 38x38 timber battens  
100x50mm timber rafters at 1500 c/c on  
75x50mm timber strut and tie on  
150x50mm tie beam on  
100x75mm wall plat \_\_\_\_\_



1. All dimensions to be checked on site, written dimensions to be followed in preference to scaled dimensions.
2. All concrete work to be in accordance with structural engineer's details.
3. All sanitary work to be in accordance with M.O.H rules and regulations.
4. All waste pipes and soil pipes are to be in ducts and the bends to have all cleaning eyes accessible from outside.
5. All windows and external glazed doors on ground floor to have burglar proofing to Architect's detail.
6. All internal plaster to be two coats steel float finished.
7. Provide G.I. 125 x 100 rainwater down pipes and 125 x 100 G.I. box gutter with brackets etc. where shown
8. All painting to be 3 coats.
9. Samples of fittings, materials etc. to be produced & approved before commencing work.
10. All office windows to have P.C. sills, built in P.V. Pelmet boxes & timber internal window cills & Skirtings.
18. Fire fighting equipment to be provided and installed by Building Fire Consultants .
19. These architectural drawings shall be read in conjunction with the structural drawings, Electrical-Mechanical drawings, Bills of Quantities & Technical Specifications. Any discrepancy shall be reported immediately to the Architect
20. The ARCHITECT shall not accept any LIABILITY for works which he has not been expressly instructed in WRITING & has accepted to proceed in writing) to SUPERVISE, or for any.

TOCH SOUTH SUDAN

VIP LATRINE  
VIP LATRINE

Mapper of Rumbek North County and  
Cueibet Town of Cueibet County both in  
Lakes State.

[illegible]

Sheet No. 01

Project number 01

Date **31st / 12 / 2025**

Drawn by \_\_\_\_\_

Checked by \_\_\_\_\_.

A102

Scale	As indicated
-------	--------------