

REQUEST FOR QUOTATION RFQ Number **012**

Date: **8/07/2026**

From	To
IntraHealth International, Inc	Prospective Suppliers

Special Instructions	Delivery Terms
All quotations must be submitted on company letterhead, must include Supplier's legal address, must be stamped, and must be valid for no less than 60 calendar days.	Deliver to IntraHealth International, Inc PLOT 25, BLOCK 3-K SOUTH DDR AVENUE, KOLOLO, SOUTH SUDAN.

Quotation Submission Date:	Submit Quotation to:	Terms of Payment:
No later than JULY 20,2026 at 3:00PM South Sudan time.	AHECTender Email: AHECTender@intrahealth.org Phone: +211920005012	100% upon delivery and acceptance

I. STATEMENT OF WORK

A. Required Items:

Laboratory Equipment and Supplies

II. INSTRUCTIONS TO THE PROSPECTIVE SUPPLIER

A. Form of Quotation

Description/Technical Specifications

Specifications for Laboratory Equipment and Supplies		
S/NO	Item	Specifications
1	Refrigerators (combo with freezing compartments)	B-Medical Systems, Solar Direct Drive Vaccine Refrigerator / Ice-pack Freezer TCW 120 SDD, Temperature -20°C to +5°C, Holdover time: 82 h 5 min at +43°C, with all solar components.

2	Data loggers	TempSen Tempod 30, temperature -30°C to 70°C, accuracy $\pm 0.5^\circ\text{C}$ with USB connectivity, Multiple Alarm thresholds, insertable in cool boxes, refrigerators and freezers.
3	Cool boxes & Icepacks	Capacity 10 Liters with 4-6 icepacks and at least 40 mm polyurethane insulation.
4	Electrical centrifuges for high-volume sites	Low-Speed Benchtop Centrifuge NLBC-704, Power consumption 80W, 5-10 mL blood tubes/buckets.
5	Hand-powered centrifuges	Hettich HANDZENTRIFUGE, tube quantity-4, volume 15 mL, RPM 3000, size 17x100, RCF 1077, Metallic handle.
6	Biohazard containers (Red or Yellow)	Bio-Bin® 30L Waste Disposal Container, capacity 60L, High-density polyethylene (HDPE) or polypropylene, Hands-free foot pedal, Tight-fitting self-closing lid, Leak-resistant, puncture-resistant, corrosion-resistant, Compatible with standard biohazard waste bags.
7	Biohazard bags (Red colour, pack size-50 bags/pack)	Heavy-duty, leak-resistant, autoclavable biohazard waste liners, capacity 70–80 Liter, High-density polyethylene (HDPE) or polypropylene construction, Leak-resistant and puncture-resistant, Autoclavable at a minimum of 121°C, Thickness of at least 50 microns (0.05 mm) or approximately 2 mil for durability
8	Micropipettes	Gilson, PIPETMAN L P1000L (100 to 1000 μL), Metal Ejector.
9	Micropipette tips (1000 tips per bag)	Bulk-packed 500 sterile tips/bag, RNase/DNase-free, Capacity 100–1000 μL , with aerosol-barrier filter and compatible with adjustable-volume micropipettes, High-quality virgin polypropylene (PP), medical or laboratory grade.
10	External thermometers for hybrid refrigerators and freezers	Digital Thermometer, Temp rage -40 to 70°C, Accuracy $\pm 1^\circ\text{C}$, Battery 1.5V AAA
11	Transportation to the Health facilities and Installation	

Quantity

Annex A – Requirements Table			
S/NO	Description	Designation	Quantity
1	Refrigerators (combo with freezing compartments) (B-Medical Systems, Solar Direct Drive Vaccine Refrigerator / Ice-pack Freezer TCW 120 SDD, Temperature -20°C to +5°C, Holdover time: 82 h 5 min at +43°C, with all solar components)	PCS	71
2	Data loggers (TempSen Tempod 30, temperature -30°C to 70°C, accuracy ±0.5°C with USB connectivity, Multiple Alarm thresholds, insertable in cool boxes, refrigerators and freezers).	PCS	71
3	External thermometers for hybrid refrigerators and freezers. Digital Thermometre, Temp rage -40 to 70°C, Accuracy ± 1 OC, Battery 1.5V AAA	PCS	71
4	Micropipettes (Gilson, PIPETMAN L P1000L (100 to 1000 µl), Metal Ejector).	PCS	71
5	Cool boxes & Icepacks (Capacity 10 Liters with 4-6 icepacks and at least 40 mm polyurethane insulation).	PCS	40
6	Electrical centrifuges for high-volume sites (Low-Speed Benchtop Centrifuge NLBC-704, Power consumption 80W, 5-10 mL blood tubes/buckets).	PCS	33
7	Hand-powered centrifuges (Hettich HANDZENTRIFUGE, tube quantity-4, volume 15 mL, RPM 3000, size 17x100, RCF 1077, Metallic handle).	PCS	68
8	Biohazard containers (Red or Yellow) Bio-Bin® 30L Waste Disposal Container, capacity 60L, High-density polyethylene (HDPE) or polypropylene, Hands-free foot pedal, Tight-fitting self-closing lid, Leak-resistant, puncture-resistant, corrosion-resistant, Compatible	PCS	31

**INTRAEALTH
INTERNATIONAL INC.**

Page 3 of 6

Plot 25, Block 3-K SOUTH
DDR AVENUE, KOLOLO
SOUTH SUDAN

9	Biohazard bags (Red colour, pack size-50 bags/pack). Heavy-duty, leak-resistant, autoclavable biohazard waste liners, capacity 70–80 Litre, High-density polyethylene (HDPE) or polypropylene construction, Leak-resistant and puncture-resistant, Autoclavable at a minimum of 121°C, Thickness of at least 50 microns (0.05 mm) or approximately 2 mil for durability.	Packs	31
10	Micropipettes tips (1000 tips per bag). Bulk-packed 500 sterile tips/bag, RNase/DNase-free, Capacity 100-1000 ul, with aerosol-barrier filter and compatible with adjustable-volume micropipettes, High-quality virgin polypropylene (PP), medical or laboratory grade.	bags	100
11	Transportation to the Health facilities and Installation of the Refrigerators and solar system	PCs	71

Your quotation must specify and include confirmation of the following:

1. Annex A – Requirements Table – Completed and submitted.
2. Adherence to Technical Specifications. Bidder shall confirm on Annex A whether the items meet or exceed the required Technical Specifications.
3. Country of Manufacture – Bidder must specify on Annex A the country of manufacture of the items.
4. Source of Items – Bidder must specify on Annex A the country where the items are located and available for purchase.
5. Nationality of Bidder. Bidder must specify on Annex A that it is legally registered for business in a Geographic Code **935** Country, and provide a valid business, employer or tax identification document that demonstrates this.
6. After-Sales Service – Bidder must specify on Annex A the name and location of an authorized after-sales service center for the items.
7. Quotation Validity – Bidder must specify on Annex A quotation validity of no less than **60** calendar days.
8. Bidder Delivery Schedule. Bidder must specify when items will be delivered at named destination.
9. Warranty Terms. Bidder must specify the warranty period for each item.
10. Price for each item.

B. Evaluation Factors

Quotations will be evaluated on a Lowest Price Technically Acceptable basis, as set forth below. IntraHealth International shall first evaluate the non-price elements of the quotation to determine whether they are acceptable or not acceptable. In conducting its evaluation, IntraHealth International may seek

information from any source it deems appropriate to obtain or validate information regarding acceptability of Supplier's quotation. Award will be made to the technically acceptable quotation with the lowest evaluated price.

- | | |
|--|---------------------------|
| 1. Adherence to Technical Specifications | Acceptable/Not Acceptable |
| 2. Availability of Items | Acceptable/Not Acceptable |
| 3. Bidder Delivery Schedule | Acceptable/Not Acceptable |
| 4. Quotation valid for no less than 60 calendar days | Acceptable/Not Acceptable |
| 5. Price | Lowest Evaluated Price |

C. Questions on this RFQ

Questions should be sent by no later than **July 13, 2026, at 3:30PM** via email to: ahcprocurement@intrahealth.org. Any information given to one Bidder concerning this RFQ will be furnished to all Bidders as an amendment to this RFQ.

D. Contract Award

The Bidders should submit its best offer initially as IntraHealth International intends to evaluate quotations using the evaluation factors listed above and make an award without discussion. However, IntraHealth International reserves the right to conduct discussions if, following the evaluation, IntraHealth International deems it necessary.

E. Terms and Conditions

- Financing of awards resulting from this RFQ will be through the U.S. State Department. Awards financed by U.S. State Department may be subject to prior approval requirements.
- The authorized geographic code for this procurement is Code **935** which means the U.S, **cooperating country**, and developing countries. The list of U.S. STATE DEPARTMENT.
- Items must be available for purchase in **cooperating country** at time of signing the contract. Bidder may not import the items from a country outside of the authorized geographic code prior to contract signing for the purposes of circumventing this requirement.
- The supplier must be registered for business and operating in Code **935** country.
- IntraHealth International is a tax-exempt organization; therefore, no taxes should be assessed on the price of the items. Tax exemption certificate is available upon request.
- IntraHealth International reserves the right to accept or reject any quotation, and to cancel the bidding process and reject all quotations, at any time prior to award, without thereby incurring any liability to Bidders or any obligation to inform Bidders of the grounds for IntraHealth International action.
- (a) IntraHealth International complies with U.S. Sanctions and Embargo laws and Regulations including Executive Order 13224 on Terrorist Financing, which effectively prohibit transactions with persons or entities that commit, threaten to commit or support terrorism. Any person or entity that participates in this bidding process, either as a prime or sub to the prime, must certify as part of the bid that he or it is not on the U.S. Department of Treasury Office of Foreign Assets Control (OFAC) Specially Designated Nationals (SDN) List and is eligible to participate. IntraHealth International shall disqualify any bid received from a person or entity that is found to be on the List or otherwise ineligible.

- (b) Firms or individuals that have an active exclusion on the System for Award Management (www.sam.gov) shall not be eligible for financing and shall not be used to provide any commodities or services contemplated by this RFQ.
8. Any changes to this RFQ shall be through amendment. Copies of amendments will be furnished to all prospective Suppliers.

[end of RFQ]

