

INVITATION TO TENDER**8th May 2025****REF: ForAfrika/Juba/001/May/2025/IR-193**

Dear Sir/Madam,

INVITATION TO TENDER

ForAfrika formerly Joint Aid Management South Sudan ("JAMSS") would like to procure the assorted items for hair dressing(saloon)

ForAfrika hereby invites competent and legally registered companies to submit their bids for the supply of the below assorted items.

S/N	Description	Unit	Qty	Rate	Amount
1	Procurement of Honda XL Single-cylinder, air-cooled, 4-stroke, OHC	Pieces	3		
	Total				

Terms & Conditions.

1. Valid registration Company's Documents
2. Recent three (3) months Bank Statement
3. Office availability
4. Company's Memorandum of Association
5. Valid Tax Clearance Certificate
6. Valid Operations License
7. Recent or previous job references
8. Updated Company's Profile
9. Currency USD
10. Clearly indicate the validity of your quotation
11. Clearly mention the lead time for the delivery of your items.

The closing date for submission of bids is at **4:30 PM, 19th May 2025.** ForAfrika will not accept bid documents delivered after that time.

ForAfrika reserves the right to cancel the tender process at any time prior to awarding a contract for the Service.

ForAfrika will not be responsible for any costs or expenses incurred by you in connection with preparing and delivering your tender regardless of the outcome of the tender process.

At any time prior to the Submission Deadline, you may make inquiries with, or seek further information or clarifications through the following email: jamss.logs@jamint.com

All bids must be hand delivered to the below address.

**Procurement Department ForAfrika
6th Flour Equatoria/UAP Tower
Hai Neem, Juba South Sudan**

Email: jamss.logs@jamint.com CC: j.samuel@forAfrika.org

Yours faithfully



Procurement Department- ForAfrika





Technical Specifications

Engine	Single-cylinder, air-cooled, 4-stroke, OHC
Displacement	124.73 cc
Max. Power	8.0 kW/8,250 rpm
Max. Torque	10.4 Nm/6,500 rpm
Bore x Stroke	52.4 mm x 57.9 mm
Compression Ratio	9.2:1
Air Filter Type	Paper Element (Vixcous Type)
Starting Method	Electric/Kick
Ignition	DC-CDI Battery
Transmission	5-speed, Manual, 1-N-2-3-4-5
Dimension (L x W x H)	2,107 x 827 x 1,125 mm
Wheelbase	1,358 mm
Seat height	849 mm
Ground Clearance	263 mm
Kerb weight	127 kg
Fuel Tank Capacity	12.0 L
Battery	12V-4Ah
Head Lamp	12V-35/35W
Tyre size	Front:70/100-21, Rear:100/90-18
Brake	Front/Rear:Leading Trailing Drum
Frame Type	Semi Double Cradle
Front Suspension	Telescopic Fork, 159mm Axle Travel
Rear Suspension	High Density Rear Shock Tube, 148mm Axel Travel