

Request for Quotation

Procurement of Standardized Kits for Youth serving, and Youth led Organization.

USAID Youth Empowerment Activity Education Development Center, Inc. (Hereafter referred to as "EDC")

Date: August 17, 2023.

Reference: Request for Quotation (RFQ): RFQ-JUB-2023-008-12

Education Development Center, Inc. (EDC) is a global nonprofit that advances lasting solutions to improve education, promote health, and expand economic opportunity, with a focus on vulnerable and underserved populations. The United States Agency for International Development (USAID) selected EDC to implement the USAID Youth Empowerment Activity, in South Sudan.

The purpose of this letter is to invite prospective Offerors to submit a quotations for any of the four lots that form standardized kits as detailed below: A potential Offeror may submit a quotation for one (1) or more lots including all four (4) lots. The price of this quotation is for 4 different lots i.e.,

- 1. Lot No. 01: Household Items
- 2. Lot No. 02: Solarization & Electronic Equipment
- 3. Lot No. 03: Computerized Equipment
- 4. Lot No. 04: Stationery + Children Playing Equipment

EDC will purchase any of the above listed Lots of the standardized kits. Such kits will be used for used for project purposes in South Sudan and surrounding areas of South Sudan.

This procurement is open to offers from organizations, incorporated, or legally organized under the laws of any country, not under sanction by the US Government. Offers from organizations which are incorporated or legally organized under the laws of any country which is under sanction by the US Government shall not be considered.



Description of Technical Specifications

Please provide a price quotation for the above-listed Lots starting from Lot No 01 to Lot No 04 as described in the minimum technical specifications below. This procurement is an urgent need for USAID YEA with a preferred delivery of September 2023, and the equipment/items are to be delivered one (1) week (five business days) from signing of purchase order. If the estimated need date cannot be met, provide an alternative delivery date in the quotation. Preference will be given to Offerors that can meet the preferred delivery of five (5) business days after signing the purchase order.

Offerors may submit quotations for one or more lots including all four lots specified below.

EDC is seeking potential Offerors to provide quotations for Standardized kits per the following minimum technical specifications:

Lot No 01:

S/NO	Qty	Designation	Picture for Sample Purposes Only
1	40 per Kit	Plastic chairs. Color: Black, Brown, White, Chocolate Type: High Back, With Hand Rest (Arms) Load Capacity: 125 KG Seat Shape: Round Width: 415 MM Height: 830 MM Material: Plastic High Quality Length: 410 MM	



2	10 per Kit	5 Square plastic tables (1m) + 5 round plastic tables. Square Table with Angular Legs: Quantify: Five (5) Size in Length: 90 cm Wedith: 90 cm Height: 72 cm Made of Virgin Plastic Round Plastic Table: Quantity: Five (5) Color Sky Blue, Green, Black, Off white Shape: Round No Of Legs 4 Material PVC Plastic Height 2.5 Feet	
3	6 Per Kit	Plastic sheet. (This sheet is going to be used to cover their shelter homes from Rain/Weatherproof etc. Size: 4x6 = 24 Feet Good Quality & Durable. Product Type: Tarpaulin Material: 100% PE, HDPE woven fabric, LDPE laminated on both sides Color: Blue/Orange/Silver/Black, Density: 120GSM-760GSM (gram/square meter) Decoration: 1. High tear Resistant 2. Waterproof – 100% Guaranteed 3. Anti-aging 4, UV- Stabilization – UV Protection	



4	2 Per Kit	Wheel Specification: 3.25-8 Diameter: 37.5CM Length: 1350 MM Height: 650MM Distance Between Handles: 420MM Bottom of the Try A: 700MM Front Wall of the Try B: 600MM Overall Container of the Try: 330MM Water Capacity: 58 L Sand Capacity: 5CBF Lead: 130KG Schematic diagram Wheel specifications: 3.25-8 Diameter: 37.5CM L:1350mm H:650mm C:420mm A: 700mm B: 600mm Water capacity: 58L Sand capacity: 5CBF Load: 130KG	
5	2 per Kit	Water tank 50l with plastic taps Outdoor Water Tank With Faucet Thick Plastic Water Storage Container Portable Household Water Storage Bucket Variety of capacity – 50L Specifications: Materials – Environmentally friendly food grade plastic, safe and non-toxic, acid and alkali resistant, thick and durable Portable water tank with faucet, strong sealing, no water leakage, handle design, easy to transport Versatility and practicality – Barrel light carrying belt, storage water, wine, oil, vinegar, chemical waste Applicable occasions – outdoor camping, tourism, home, factory, farmland, industry, etc.	



6	10 per Kit	Gum Boots: heavy duty rubber boots Size: 39 to 47 Material: PVC+ easy dry fabric lining Color: Black, green, yellow, white etc.	
7	10 Per Kit	Raincoats Lightweight, waterproof fabric with taped seams prevents water penetration Taped seams to provide additional protection Front zip opening for easy access 2 pockets for secure storage Pack away hood for added functionality Inner elasticated cuff Eyelets and back vent for ventilation Extremely water resistant fabric finish, water beads away from fabric surface	



8	1 per Kit	First aid Kit (for office use not for car) Red Cross recommended which include the following: Medical Box: Made of High Quality Plastic Material with lock 2 absorbent compress dressings (5 x 9 inches) 25 adhesive bandages (assorted sizes), also found within our Family First Aid Kit 1 adhesive cloth tape (10 yards x 1 inch) 5 antibiotic ointment packets (approximately 1 gram) 5 antiseptic wipe packets 2 packets of aspirin (81 mg each) 1 emergency blanket 1 breathing barrier (with one-way valve) 1 instant cold compress 2 pair of nonlatex gloves (size: large) 2 hydrocortisone ointment packets (approximately 1 gram each) 1 3 in. gauze roll (roller) bandage 1 roller bandage (4 inches wide) 5 3 in. x 3 in. sterile gauze pads 5 sterile gauze pads (4 x 4 inches)	
9	1 Per Kit	Basic tool kit (digger & shovel) Digging Shovel: Steel, 12" Blade Length, 8.75" Blade Width	



Bicycle. Minimum Specifications: Fork Material Steel Gears: Single speed Frame Type: Hard Frame (Non-rear Damper) Wheel Size; 28" Fork Suspension: No 3 Rim Material: Steel 10 Per Bell: Required Kit Seat: Adjustable height and padded Brakes; Front and rear caliper brakes Pedals: Ordinary pedal Fork guard with fitting- for reinforcing the front fork Required Wheel reflectors: Required Required Bicycle Pump and Pump Holder on Frame Required Standard tool kit Required **Kickstand Required**

Lot No 02:



11

per

Kit

Solar panel 250 W

SPECIFICATIONS

Rated Power (watts) 250

Power Tolerance 0/-3%

Maximum Power Voltage (volts) 30.4

Short Circuit Current (amps) 8.81

Maximum Power Current (amps) 8.23

Open Circuit Voltage (volts) 37.6

Module Efficiency 15.27%

Cell Technology Multi crystalline

Certifications IEC61215, IEC61730, Ammonia, Salt Mist, Anti-PID

Snow / Wind Load (Pa) 2400 / 5400

Warranty 10-year material and workmanship warranty

25-year power output warranty:

12 years/90%, 25 years/80%

Weight 19.00kg

Temperature Coefficient (Pmp) -0.45 %/°C

Connector Type Jinko Junction Box IP65 rated cable_fly_lead 1100



Battery 200 Amp

STORAGE CAPACITY

200 ampere hours(Ah). Lead acid battery provide consistent power for all 200 amp hours. It have a flat voltage curve, which means they have a steady power output as the battery discharges. The power output will not dramatically drop.

VOLTAGE 12V

ENERGY 2400 Watts (Wh)

TERMINALS - T11(Female m8) Easy to adapt to different connection needs.

SIZE - 522mm L x 240mm W*224mm H

WEIGHT - 59.8kg

LIFE CYCLES (BATTERY LIFESPAN) DEEP CYCLES

Up to 90% capacity for 3,000 cycles in recommended conditions. 25 is

better.

2

Per

Kit

12

OPERATING TEMPERATURE RANGE

Ideal for rugged & harsh environments. - Charging:0 to 40 °C

Discharge:-20 to 55°C

Storage:-15 to 50°C

DISCHARGE - 1800 A max continuous. Month self discharge 2%(20)

MAX CHARGING CURRENT - 60A

FLOAT CHARGING VOLTAGE - 13.5 to 13.8V. Recom.13.5 V.

INTERNAL RESISTANCE - 3.2mΩ

CAPACITY AFFECTED BY TEMPERATURE - 40°C 106% 25°C 100% 0°C 86%

SUITABLE FOR:

1.Trolling motors # fish longer

2.Solar energy storage



Page **8** of **22**



13	1 per Kit	Solar Inverter 2200 Max 220V50HZ,2.2KVA1.8KW/12VDC,MPPT:60A	
14	1 per Kit	Charger Controller MPPT Charger Controller 60A MPPT 12/24/48V, 80A,Max PV IP:150VDC	MPPT Nova Control of Control Strike Service
15	20 per Kit	6 MM (Square) Solar Cable 20 Meter. DC MULTISTRAND CABLE 6MM 2CORE FLEXIBLE	



16	4 per Kit	Metallic Frame (Dixon) 4 Pcs. DC MULTISTRAND CABLE 6MM 2CORE FLEXIBLE	
17	1 per Kit	Accessories W(Including small items set of each of the following -35MM LUGGED JUMPER CABLE 0.5MTR 4PCS -DUCTING/50X50MM PVC TRUNCKING 2PCS -CABLE TIES 250MM PKT OF 100PCS -CONCRETE NAILS 2" 2PKT -ELEPHANT/SILCONE GLUE 2PCS -ROOFING NAILS 1KG - INSULATING TAPE 2PCS -BOLTS AND NUT SIZE 8.8MM 200PCS	3M FF
18	1 per Kit	1 KVA generator + 1 jerry can + plugs +toolkits box Weight 12.7 kg - Dimensions 450 × 240 × 380 mm Engine Type - MZ50 – OHV Air Cooled Displacement - 50 cc - Generator Type - Inverter Rated Output - 900W - Max Output - 1000W Starting System - Recoil - Frequency - 50Hz DC Output - 12v / 8 Amp Rated Voltage - 230V Fuel Tank Capacity - 2.5L Operating Hours - 12 hours (1/4 load, Eco On) Noise Level @ 7m - 47 dBA (1/4 load) / 57 dBA (full load)	



Lot No 03:

19	1 pe r Kit	HP or Equivalent. Black & White LaserJet printer (12 pages per min) + 2 cartridges LaserJet Jet Printer – Speed 20ppm, Res 1200x1200dpi, 64MB/400MHz, USB2.0, Duty Cycle 1500 pages no separate Drum Needed. Required Extra 2 no of Compatible Toners	
20	1 pe r Kit	Laptop (HD500GB + 8GB ram , Brand HP Or Equivalent Model Name 6G4Z8UA#ABA or equivalent Screen Size 14 Inches Hard Disk Size - 512 GB CPU Model Intel Core i5-1135G7 Ram Memory Installed Size - 8 GB Operating System - Windows 11 Home Graphics Card Description - Integrated CPU Speed - 4.2 GHz	
21	1 per Kit	11eq (1esponse - 40112-20K112	



Low power consumption projector 3LCD Technology, RGB liquid crystal shutter LCD Panel - 0,59 inch with MLA (D10) Color Light Output - 3.000 Lumen- 2.000 Lumen (economy) In accordance with ISO 21118:2020 White Light Output - 3.000 Lumen - 2.000 Lumen (economy) In accordance with ISO 21118:2020 Resolution - WXGA - High Definition - HD ready Aspect Ratio - 16:10 - Light source - Lamp Lamp - UHE, 188 W, 6.000 h durability, 12.000 h durability (economy mode) Keystone Correction - Manual vertical: \pm 30 °, Manual horizontal ± 30 ° Color Video Processing 8 Bits - 2D Vertical Refresh Rate 22 per 100 Hz - 120 Hz - Color Reproduction 16.77 million colors - Throw Ratio 1,27 - 1,71:1 - Zoom - Digital, Factor: 1 - 1,35 Lens - Optical Screen Size - 25 inches - 378 inches Projection Distance Wide - 0,9 m - 10,4 m Projection Distance Tele - 0,9 m - 10,4 m Projection Distance Wide/Tele - ,64 m (60 inch screen Projection Lens F Number - 1,44 **Projection Lens Focus** Manual - Offset - 7:1 Connectivity - Interfaces HDMI 1.4, USB 2.0-A, USB 2.0 Type B (Service Only) XXX projection App

Not No 04:

White Boards with stand & metal frame
Size 90cmx120cm
Have a tray at the bottom to hold the markers & Duster. White board Marker Pens (Pkts)

• Assorted colors – red, blue, black, green,
• packet of 10 pcs,
• Assorted colors – red, blue, black, green,
• packet of 10 pcs,
• Staedtler or similar brand
• Staedtler or similar brand



24	1	Printing Paper A4 box. 80 Gram Paper.	Double A AA
25	1	Pen box of 50 pcs. Good Quality – Blue Color	Erick research Dispriss Line State Line
26	1	Standard Football senior net, Ø5.0mm high density polyethylene anti-UV treated braided twine, 120mm single mesh. Knotless. (Without Poles) Dimensions: 7.50m x 2.50m x 0.80m x 2.00m. SPECIFICATIONS Material: Polypropylene Thread: BR (braided) Thread diameter: 5.0mm Net shape: With depth Used for: Senior goals 7.32m x 2.44m Color: Black or white Length: 7.5m Height: 2.5m Top runback: 0.8m Bottom runback: 2m Mesh size: 120mm single mesh Mesh type: Knotless Volleyball knotless nets, braided Ø3.0mm, 100mm single mesh, top band with white PVC, side tapes, tension by 5mm galvanized cable. Dimensions: 9.50m x 1.0m. (Without Poles) SPECIFICATIONS Material: HDPE Thread: BR (braided): Thread diameter: 3.0mm	



Height: 1.0m
Weight: 2.5kg
Mesh type: Knotless

Size 5 football for U15s up to U18s and above.


Circumference: 69-71cm

Weight: 410-450g

Pressure 8.5-15.6 psi









Quotation due date: August 28, 2023, 16:00 South Sudan Time. Quotations received after this date will not be eligible for the contract award.

EDC shall evaluate all quotations based on:

Price

Schedule of Events:

The following schedule applies to this RFQ but may change in accordance with EDC's needs or unforeseen circumstances. Changes in this timeline will be announced as formal modifications to the RFQ.

Line	Time	Date	Timetable
Α	16:00	22 August	Deadline for submission of questions to EDC.
		2023	Questions should be sent in writing by email to
			YEAProcurement@edc.org



В	16:00	24 August 2023	Estimated date for issuance of responses by EDC. All quotations will be answered in one document and sent to all Offerors.
С	16:00	28 August	Deadline for submission of quotations. All
		2023	quotations must be sent by email to
			YEAProcurement@edc.og

Delivery Terms:

05 working days after signing of Purchase Order. If the delivery time is not possible, please propose an alternative delivery schedule but make sure that the delivery needs to be done **before September 10, 2023.** All equipment purchased for the kits must be delivered to: to EDC Office Afex River Complex

Note: The project is exempted from the Value Added Tax and letter can be submitted to substantiate this exemption

EDC may award one or more contracts resulting from this request to the offeror(s) whose quotation(s) conforming to this request offer(s) the greatest value. EDC may also (a) reject any or all quotations, (b) accept other than the lowest quotation, or (c) accept more than one quotation.

Contracts may be issued for some or all the deliverables. EDC may award a contract without discussions with offerors. As such, offerors are strongly encouraged to submit their best quotations with their original submissions. EDC reserves the right to conduct discussions, which may result in revisions to quotations, with one or more than one or all offeror(s) if EDC determines, at its sole discretion, discussions to be necessary. Additional documentation may be required prior to selection and discussions may include oral presentations provided by the offeror.

Quotations must include the following:

- 1. Quotation on company letterhead and signed;
- 2. A description of the Standardized kts or Lot No's being offered;
- 3. The total cost must be detailed to breakdown and include the unit price of each item, the total price and all applicable taxes. All pricing must be in US Dollars
- 4. Confirmation that the standardized kits or Lot No's are in stock. If the required items are not in stock, provide a timeline for obtaining the requested items;
- 5. Documentation of incorporation/ Certificate of Registration
- 6. A valid Tax certificate;
- 7. Delivery terms;
- 8. Payment Terms including banking details.



Ensure at a minimum your quotation include the following:

			Lot No: 01					
s/no	Designation	Qty per Kit	Total No. of Kits	Total No Items. (A)	Unit Price Per Item (USD) (B)	Total Cost (USD) C = (AxB)	Grand Total Price (USD)	
1	Plastic chairs.	40	70	2,800				
2	Square plastic tables: Qty 5 Round Table: Qty 5	10	70	700				
3	Plastic sheet.	6	70	420				
4	Wheelbarrow	2	70	140				
5	Water tank 50l with plastic taps	2	70	140				
6	Gum boots heavy duty rubber boots	10	70	700				
7	Raincoats	10	70	700				
8	First aid Kit (for office use not for car)	1	70	70				
9	Basic tool kit (digger shovel)	1	70	70				
10	Bicycle.	3	70	210				
				Gr	and Total Price	for Lot No: 01		



			LOT NO): 02			
s/no	Designation	Qty per Kit	Total No. of Kits	Total no of Items	Unit Price including applicable fees and taxes (USD)	Total Cost (US\$) C = (AxB)	Total Unit Price (USD)
1	Solar panel 250 W	4	70	280			
2	Battery 200 Amp	2	70	140			
3	Solar Invertor 2200 Max	1	70	70			
4	Charger controller MPPT Charger Controller 60A	1	70	70			
5	6 MM (Square) Solar Cable 20 Meter	20	70	1,400			
6	Metallic Frame (Dixon) 4 Pcs	4	70	280			
7	Accessories (Including small items like screws, clips etc.	1	70	70			
8	1 KVA generator + 1 jerry can + plugs +toolkits box	1	70	70			
				Grant	Total Price fo	r Lot No: 02	



			LOT NO	D: 03			
s/NO	Designation	Qty	Kits	Total No of Kits	Unit Price including applicable fees and taxes (USD)	Total Cost (USD) C=(AxB)	Total Unit Price (USD)
1	LaserJet printer (12 pages per min) + 2 cartridges	1	70	70			
2	Laptop (HD500GB + 8GB ram,	1	70	70			
3	PA system (wireless mic)	1	70	70			
4	Low power consumption projector	1	70	70			
			Gra	nt Total Pric	e for Lot No: ()3	



			LOT NO): 04			
s/no	Designation	Qty	Kits	Total No of Kits	Unit Price including applicable fees and taxes (USD)	Total Cost (USD)	Total Unit Price (USD)
						C=(AxB)	
				A	В		
1	White board (120cmx90cm) + marker 10 per packet	2	70	140			
2	Printing Paper A4 box	1	70	70			
3	Pen box of 50 pcs	1	70	70			
4	Children sport kit (football, volleyball net, goal net)	1	70	70			
5	2 doors metal cabinet 180 x 90 CM	1	70	70			
			Gra	nt Total Pric	e for Lot No: ()4	



Full Legal Name of

If the selected Offeror will need to air or ocean-ship any items, to Juba, South Sudan. Air or ocean shipping must comply with USAID and U.S. Government regulations, which require shipment via US flag carrier. If US flag carrier is not available for all or some of the shipment, the offeror must provide specific information why US flag carrier is not available for which sections of the shipping, what percentage US carrier will ship and what percentage foreign carrier will ship. The offeror must be able to initiate the shipment of the commodities within 60 business days of written notification from EDC that EDC will purchase the commodities from the selected offeror. Air shipment is not the preferred delivery method.

All offerors must provide a timeline for shipment for their quotation to be considered; the timeline should indicate the country of origin of the shipment, if known. If the Offeror will not need to ship the item, please state this in the quotation.

Quotation must be delivered via email to: Education Development Center, Inc., Attention: Procurement Manager, E-mail: YEAProcurement@edc.org All quotations must be received by EDC, before the deadline date and time, 28 August 2023, 16:00 South Sudan Time.

Please complete the following form and submit with your formal quotation.

Company		
Contact Person's full	Name:	
name and phone number	Number:	
Quotation Pricing	Number of Days:	
Validity in Days		
Authorized Signature:		Date:
Please complete the following provided similar goods.	ng reference form and p	please provide references for where your firm has
Reference #1:		
Organization Name:		



Contact Person:
Email Address:
Telephone Number:
Type of Standardized Kit Provided:
Value of Standardized Kit Provided:
Month/s and Year During Which Standardized kits were Provided:
Reference #2:
Organization Name:
Contact Person:
Email Address:
Telephone Number:
Type of Standardized Kit Provided:
Value of Standardized Kit Provided:
Month/s and Year During Which Standardized Kit were Provided:
Reference #3:
Organization Name:
Contact Person:
Email Address:
Telephone Number:
Type of Standardized Kit Provided:
Value of Standardized Kit Provided:
Month/s and Year During Which Standardized Kit were Provided: