









## NOTES

# ALL LEVELS AND DIMENSIONS ARE INDICATED IN MILLIMETERS.

# USE FIGURED DIMENSIONS, DO NOT SCALE FROM DRAWING.

#ALL DIMENSIONS TO BE VERIFIED BEFORE COMMENCEMENT OF CONSTRUCTION WORK ON SITE AND IN CASE OF DISCRIPANCIES, REFER TO THE ARCHITECT IMMEDIATELY.

# ALL COLUMNS, BEAMS, SLABS, STAIRCASE TO STRUCTURAL ENGINEERS DETAIL

DRAINAGE,
-300MM WIDE CONCRETE STORM WATER CHANNELS WITH
GRATINGS COVERINGS TO FALL TO SOAK-WAY PIT/
-DRAINAGE PIPES PASSING UNDER BUILDINGS OR DRIVE
WAY BUILDING TO BE ENCASED IN 150MM CONCRETE

## REVISIONS:

Suffix	Details	Date	Initia

CONSULTING COMPANY



Kenyi Gordon Aganson Tel: +211 929 305550. Email: g.aganson@gmail.com

Authorised seal & signature

Issuing Department ARCHITECTURAL

Purpose for Issue SUBMISSION DRAWINGS PROPOSED REHABILITATION OF PIBOR PEACE HALL IN GREATER PIBOR ADMINISTRATIVE AREA, PIBOR TOWN, JONGOLE STATE-SOUTH SUDAN

Sheet contents:

Client's name & address FIN CHURCH AID SSUCO P.O. BOX 432, BILPHAM ROAD, JUBA-SOUTH SUDAN drg. no.

KG/FCA/01/03-21