



ITB reference number: ITB-SSD-AJT-2023-001

DRC to complete			Bidder to complete			
#	Item/Milestone Required	Specification	Quantity required	Item/Milestone offered (name make and model with full specification)	Country of Origin	Quantity offered
A	PRELIMINARIES	Visibility Signpost (1.5 x 0.8m of 1.2mm thick Metal sheet board; 60 x 40mm fixings & posts; artwork to be provided by DRC)	1 Pc			
		Sub total				
	SUBSTRUCTURE	Excavation and Earthworks <u>Note: Rates for excavation to include for keeping excavations free from water and planking and strutting to sides of excavations.</u> Excavate around splash apron commencing from existing level; not exceeding 1.0m deep. Dispose excess materials, spread and level surplus excavated material where directed on site.	17.28 CM			
B		Brick Masonry 200mm thick burnt clay brick masonry wall of 1:4 cement sand ratio with hoop iron on alternate three courses.	38.4 SM			
		Murram Filling Import approved murram or gravel and fill, deposit, spread, level and ram around apron in 150mm layers and compact to 98% MDD.	8.96 CM			
		Splash Apron Install concrete 1:5:10/20mm aggregate as described:				
		50mm thick concrete apron slab.	4.48 CM			
		50mm thick concrete blinding for burnt clay brick walling	2.88 CM			
		25mm thick cement mortar (1:4) screeds and pavings; one coat; steel trowel finish laid on concrete "Nitro"	102.4 SM			
		Subtotal				
		Demolition and Removal Carefully back-off the top finish layer of the floor screed and and prepare the surface to receive fresh screeding layer and level materials where directed on site.	548 SM			
		Cement mortar (1:4) render, trowelled smooth, on concrete upto final smooth finish "Nitro".				
		25mm screed on floor slab	548 SM			
C	FLOORING					

<



	Ceiling Carefully remove existing suspended ceiling materials, cut and dispose where directed on site to leave the building clean and ready for use.	450 SM			
	Subtotal				
	Door Provide/ replace any missing or damaged accessories to the existing steel doors including locks (internal and external), vents and other accessories to ensure its full operation.	No 8			
	Window Provide/ replace any missing or damaged window accessories like locks (internal and external), mosquito wire/ mesh and more with all accessories to ensure its full operation.	No 22			
F	WINDOWS & DOORS Prepare surface and apply etching primer, apply one coat primer, one undercoat and two Gloss finishing coats spray painted on metal works to Steel windows Steel doors Sub total	39.6 SM 17.6 SM			
	Wall finishes Prepare and apply one mist coat and two coats weatherguard paint on plastered external wall. Color agreed by the donor and DRC Prepare and apply one undercoat and two coats of silk vinyl paint on plastered internal wall. Paint color will be determined by DRC and UNHCR Subtotal	372 SM 1273 SM			
G	FINISHES				
DRC to complete					
Delivery time required (days after PO signature):		60 days	Delivery time offered (days after PO signature):		
Delivery Terms required (Add Incoterm if necessary):		DDP (Incoterm 2020)	Delivery Terms offered (must include incoterm):		
Delivery Destination required:		Kodok, Fashoda County Upper Nile, Malakal	Delivery Destination offered:		
Minimum bid validity period required:		90 days	Bid validity period offered:		
Additional comments to bidders: Note payments to DRC authorized Bank(s) within South Sudan (like Eco Bank) shall be free of charge. However, transfers/payments to other banks within or overseas shall incur transfer charges estimated at USD 30 and should be inclusive of price offer					
Company Name:		Contact Person:		Phone number:	
Address:		Address:		Date:	
Email Address:		Email Address:		Date:	



Signed by a duly authorized company representative:	
Title:	
Print Name:	
Stamp of company	

