

Date: 7th April 2025

TENDER-Q-3440-2025 -CONSTRUCTION OF A STORE (SEED BANK) IN KAJO-KEJI CENTRAL EQUATORIA STATE.

Name of Company:	
Address:	
Active Phone number	
Email	

Table 1: Price citation

ITEM: BOQ FOR THE PROPOSED CONSTRUCTION OF A STORE (SEED BANK) IN CENTRAL EQUATORIA STATE

LOCATION: KANGAPO 1 PAYAM, PAMUJO BOMA KAJOKEJI COUNTY

IMPLEMENTED BY: ACROSS SOUTH SUDAN

Contractors' general obligation:

It will be the responsibility of the contractor to calculate the quantities of materials eg cement, sand iron sheets etc. for each individual described component.

	sand fron sneets etc. for each individual described component.					
S/NO	ITEM DESCRIPTION	UNIT	QTY	RATE (USD)	AMOUNT (USD)	
1	PRILIMINARIES					
	Provisional sum for mobilization and demobilization comprising of safety gear, necessary tools and equipment for execution of work. This item cover similar works for all the components of this BOQ	lump sum	1		\$ -	
1.1						
	clear site of all obstructions; veg, rocks ant moulds, levels and backfill, Excavate top vegetable soil average 150mm deep and cart to spoil	m3	56.3		\$ -	
	excavate foundation trench dept n.e 1.2m and dispose off the soil	m3	67.2		\$ -	
	detto splash apron	m3	24		\$ -	
1.2	Strip footing					
	supply, prepare and cast PCC Reinforced in-situ concrete class 15/20mm aggregate, [mix 1:3:6]: in 100mm strip footing	m3	10.5		\$ -	
	ditto splash apron/varrander	m3	3		\$ -	
	column base	m3	136		\$ -	
1.3	plinth wall					
	230mm thick brick/block wall bedded in mortar 1:4 for the plinth wall foundation.	m2	90		\$ -	



	hoon iron	roll	15	Φ	
1.4	hoop iron Surface treatment	1011	13	\$	-
1.4	Surface treatment	2	105	¢.	
	Anti-termite treatment to: sides and bottoms of foundations trenches	m2	105	 \$	-
1.5	Filling				
	125mm Murram filling: well-watered and compacted to 95% MDD 95%: to make up levels under floor bed together with sand blinding.	m3	18.9	\$	1
	Ditto: under Verandah/apron	m3	5.7	\$	-
	200mm thick Hardcore filling on the bed	m3	30	\$	-
1.6	Floor slab				
	Reinforced concrete RCC 1:2:3 in ground floor 100mm thick as shown in the drawing.	m3	15	\$	-
	Reinforcement concrete RCC 1:2:3 ratio with 100mm in grade/ground beam	m3	2.25	\$	-
	Steel reinforcement: Prices include cutting, bending, placing in position and binding wires. Quantity both for beam and slab. Stirrup spacing at 200mm c/c as shown in the drawing.				
	Y12	kg	325.8	\$	-
	R8/R6	kg	276.6	\$	-
	Binding wire	kg	80	\$	-
	Mesh fabric reinforcement Lay fabricated mesh Ref BRCA142 to Bs4483 in ground floor slab	m2	450	\$	-
	DPM Horizontal damp proof membrance 1000-gauge polythene membrance laid on compacted ground floor.	m2	450	\$	-
	subtotal carried to summary			\$	-
2	SUPER STRUCTURE				
2.1	WALLING Hard burnt clay bricks to BS 3921 (3.5N/mm2 compressive strength) bedded and jointed in cement and sand (1:3) mortar.				
	230mm thick red burn bricks bedded in English bond and jointed cement and sand (1.3) mortar reinforcement with hoop iron wall ties	m2	265	\$	-
	DPC 225mm wide horizontal bituminous damp proof courses laid on screened 20mm thick (1.3) bed ready to bricks walls.	m	75	\$	-
	Reinforced in-situ concrete class 25/20mm aggregate, [mix 1:2:4]: in			\$	-



Ring beam	
Steel reinforcement: Prices include cutting, bending, placing in position and binding wires. Quantity both for Ring beam and column. Stirrup spacing at 200mm c/c as shown in the drawing. Y12 kg 491 \$ Binding wire kg 125 \$ R8/R6 kg 388.6 \$ hoop iron roll 24 \$ 2.2 SAWN FORMWORK supply and provide formwork 225x20mm boards for casting concrete in, Ground beam and slab m 106 \$ Ring beam m 130 \$ 2"x3" reiforcement/support timber m 105 assorted nails kg 75 2.3 ROOFING Sawn cypress or other approved: pressure impregnated with Tanalith or other approved nailed together, hoisted and fixed 3.0m above ground 150 x 75mm Wall plate m 235 \$ 100 x 50mm Rafter m 235 \$ 100 x 50mm Tie beam m 235 \$ 100 x 50mm Purlins m 460 \$ 225 x 20mm Fascia and barge board m 105 \$ 26 Gauge pre-coated (brick red) corrugated galvanized iron roofing sheets fixed: 1 1/2 corrugations side laps: fixed to timber purlins (m/s) with galvanized iron drive nails with washers. Roof covering m 295 \$ matching ridge capping m 266 \$ subtotal carried to summary \$ \$ subtotal carried to summary	-
placing in position and binding wires. Quantity both for Ring beam and column. Stirrup spacing at 200mm c/c as shown in the drawing. Y12	-
for Ring beam and column. Stirrup spacing at 200mm c/c as shown in the drawing. Y12 kg 491 \$ Binding wire kg 125 \$ R8/R6 kg 388.6 \$ hoop iron roll 24 \$ 2.2 SAWN FORMWORK supply and provide formwork 225x20mm boards for casting concrete in, Ground beam and slab m 70 \$ columns m 106 \$ Ring beam m 130 \$ 2"x3"reiforcement/support timber m 105 assorted nails kg 75 2.3 ROOFING Sawn cypress or other approved: pressure impregnated with Tanalith or other approved nailed together, hoisted and fixed 3.0m above ground 150 x 75mm Wall plate m 100 \$ 150 x 50mm Rafter m 235 \$ 100 x 50mm Struts/Ties m 345 \$ 100 x 50mm Tie beam m 235 \$ 100 x 50mm Tie beam m 235 \$ 100 x 50mm Tie beam m 235 \$ 225 x 20mm Fascia and barge board m 105 \$ 26 Gauge pre-coated (brick red) corrugated galvanized iron roofing sheets fixed: 1 1/2 corrugations side laps: fixed to timber purlins (m/s) with galvanized iron drive nails with washers. Roof covering m 295 \$ matching ridge capping m 266 \$ subtotal carried to summary \$ \$	
200mm c/c as shown in the drawing.	
Note	
Binding wire kg 125 \$ R8/R6 kg 388.6 \$ hoop iron roll 24 \$ 2.2 SAWN FORMWORK supply and provide formwork 225x20mm boards for casting concrete in, Ground beam and slab m 70 \$ columns m 106 \$ Ring beam m 130 \$ 2"x3"reiforcement/support timber m 105 assorted nails kg 75 2.3 ROOFING Sawn cypress or other approved: pressure impregnated with Tanalith or other approved nailed together, hoisted and fixed 3.0m above ground 150 x 75mm Wall plate m 100 \$ 150 x 50mm Rafter m 235 \$ 100 x 50mm Struts/Ties m 345 \$ 150 x 50mm Tie beam m 235 \$ 100 x 50mm Purlins m 460 \$ 225 x 20mm Fascia and barge board m 105 \$ 226 Gauge pre-coated (brick red) corrugated galvanized iron roofing sheets fixed: 1 1/2 corrugations side laps: fixed to timber purlins (m/s) with galvanized iron drive nails with washers. Roof covering m2 95 \$ matching ridge capping m 266 \$ subtotal carried to summary \$	
R8/R6 kg 388.6 \$ hoop iron roll 24 \$ 2.2 SAWN FORMWORK supply and provide formwork 225x20mm boards for casting concrete in, Ground beam and slab m 70 \$ columns m 106 \$ Ring beam m 130 \$ 2"x3"reiforcement/support timber m 105 assorted nails kg 75 2.3 ROOFING Sawn cypress or other approved: pressure impregnated with Tanalith or other approved nailed together, hoisted and fixed 3.0m above ground 150 x 75mm Wall plate m 100 \$ 150 x 50mm Rafter m 235 \$ 100 x 50mm Struts/Ties m 345 \$ 150 x 50mm Tie beam m 235 \$ 100 x 50mm Purlins m 460 \$ 225 x 20mm Fascia and barge board m 105 \$ 26 Gauge pre-coated (brick red) corrugated galvanized iron roofing sheets fixed: 1 1/2 corrugations side laps: fixed to timber purlins (m/s) with galvanized iron drive nails with washers. Roof covering m2 95 \$ matching ridge capping m 266 \$ subtotal carried to summary \$	-
hoop iron roll 24 \$ 2.2 SAWN FORMWORK supply and provide formwork 225x20mm boards for casting concrete in, Ground beam and slab m 106 \$ Ring beam m 130 \$ 2"x3"reiforcement/support timber m 105 assorted nails kg 75 2.3 ROOFING Sawn cypress or other approved: pressure impregnated with Tanalith or other approved nailed together, hoisted and fixed 3.0m above ground 150 x 75mm Wall plate m 235 \$ 100 x 50mm Struts/Ties m 345 \$ 150 x 50mm Purlins m 460 \$ 225 x 20mm Fascia and barge board m 105 \$ 26 Gauge pre-coated (brick red) corrugated galvanized iron roofing sheets fixed: 1 1/2 corrugations side laps: fixed to timber purlins (m/s) with galvanized iron drive nails with washers. Roof covering m 266 \$ subtotal carried to summary \$	-
2.2 SAWN FORMWORK supply and provide formwork 225x20mm boards for casting concrete in, Ground beam and slab Columns Ring beam 2"x3"reiforcement/support timber assorted nails Example and size and barge board 150 x 75mm Wall plate 150 x 50mm Rafter 100 x 50mm Purlins 100 x 50mm Purlins 100 x 50mm Purlins 225 x 20mm Fascia and barge board 26 Gauge pre-coated (brick red) corrugated galvanized iron drive nails with washers. Roof covering matching ridge capping	-
supply and provide formwork 225x20mm boards for casting concrete in, Ground beam and slab columns Ring beam 2"x3"reiforcement/support timber assorted nails kg 75 2.3 ROOFING Sawn cypress or other approved: pressure impregnated with Tanalith or other approved nailed together, hoisted and fixed 3.0m above ground 150 x 75mm Wall plate 150 x 50mm Rafter 100 x 50mm Struts/Ties 150 x 50mm Tie beam 100 x 50mm Purlins 150 x 50mm Purlins 225 x 20mm Fascia and barge board 26 Gauge pre-coated (brick red) corrugated galvanized iron roofing sheets fixed: 1 1/2 corrugations side laps: fixed to timber purlins (m/s) with galvanized iron drive nails with washers. Roof covering matching ridge capping subtotal carried to summary	-
supply and provide formwork 225x20mm boards for casting concrete in, Ground beam and slab columns Ring beam 2"x3"reiforcement/support timber assorted nails kg 75 2.3 ROOFING Sawn cypress or other approved: pressure impregnated with Tanalith or other approved nailed together, hoisted and fixed 3.0m above ground 150 x 75mm Wall plate 150 x 50mm Rafter 100 x 50mm Struts/Ties 150 x 50mm Tie beam 100 x 50mm Purlins 150 x 50mm Purlins 225 x 20mm Fascia and barge board 26 Gauge pre-coated (brick red) corrugated galvanized iron roofing sheets fixed: 1 1/2 corrugations side laps: fixed to timber purlins (m/s) with galvanized iron drive nails with washers. Roof covering matching ridge capping subtotal carried to summary	
for casting concrete in, Ground beam and slab columns m 106 Ring beam m 130 2"x3"reiforcement/support timber assorted nails kg 75 2.3 ROOFING Sawn cypress or other approved: pressure impregnated with Tanalith or other approved nailed together, hoisted and fixed 3.0m above ground 150 x 75mm Wall plate 150 x 50mm Rafter 100 x 50mm Struts/Ties 150 x 50mm Tie beam 150 x 50mm Purlins 150 x 50mm Fascia and barge board 225 x 20mm Fascia and barge board galvanized iron roofing sheets fixed: 1 1/2 corrugations side laps: fixed to timber purlins (m/s) with galvanized iron drive nails with washers. Roof covering m 266 subtotal carried to summary simple search in the s	
Ground beam and slab columns m 106 Ring beam m 130 2"x3"reiforcement/support timber assorted nails kg 75 2.3 ROOFING Sawn cypress or other approved: pressure impregnated with Tanalith or other approved nailed together, hoisted and fixed 3.0m above ground 150 x 75mm Wall plate 150 x 50mm Rafter 150 x 50mm Rafter 150 x 50mm Tite beam 150 x 50mm Purlins 100 x 50mm Purlins 100 x 50mm Fascia and barge board 225 x 20mm Fascia and barge board 26 Gauge pre-coated (brick red) corrugated galvanized iron roofing sheets fixed: 1 1/2 corrugations side laps: fixed to timber purlins (m/s) with galvanized iron drive nails with washers. Roof covering m2 95 matching ridge capping m2 subtotal carried to summary m 106 \$ \$ \$ ### Too ##	
columns Ring beam Ring Roof covering Ring Ring beam Ring Ring beam Ring Ring Beam Ring Ring Ring Ring Ring Ring Ring Ring	
Ring beam m 130 \$ 2"x3"reiforcement/support timber m 105 assorted nails kg 75 2.3 ROOFING Sawn cypress or other approved: pressure impregnated with Tanalith or other approved nailed together, hoisted and fixed 3.0m above ground 150 x 75mm Wall plate m 100 \$ 150 x 50mm Rafter m 235 \$ 100 x 50mm Struts/Ties m 345 \$ 150 x 50mm Tie beam m 235 \$ 100 x 50mm Purlins m 460 \$ 225 x 20mm Fascia and barge board m 105 \$ 26 Gauge pre-coated (brick red) corrugated galvanized iron roofing sheets fixed: 1 1/2 corrugations side laps: fixed to timber purlins (m/s) with galvanized iron drive nails with washers. Roof covering m 266 \$ subtotal carried to summary \$	
2"x3"reiforcement/support timber m 105 assorted nails kg 75 2.3 ROOFING Sawn cypress or other approved: pressure impregnated with Tanalith or other approved nailed together, hoisted and fixed 3.0m above ground 150 x 75mm Wall plate m 100 \$ 150 x 50mm Rafter m 235 \$ 100 x 50mm Struts/Ties m 345 \$ 150 x 50mm Tie beam m 235 \$ 100 x 50mm Purlins m 460 \$ 225 x 20mm Fascia and barge board m 105 \$ 26 Gauge pre-coated (brick red) corrugated galvanized iron roofing sheets fixed: 1 1/2 corrugations side laps: fixed to timber purlins (m/s) with galvanized iron drive nails with washers. Roof covering m 266 \$ subtotal carried to summary \$	
assorted nails kg 75 2.3 ROOFING Sawn cypress or other approved: pressure impregnated with Tanalith or other approved nailed together, hoisted and fixed 3.0m above ground 150 x 75mm Wall plate m 100 s 150 x 50mm Rafter m 235 s 100 x 50mm Struts/Ties m 345 s 150 x 50mm Tie beam m 235 s 100 x 50mm Purlins m 460 s 225 x 20mm Fascia and barge board m 105 s 26 Gauge pre-coated (brick red) corrugated galvanized iron roofing sheets fixed: 1 1/2 corrugations side laps: fixed to timber purlins (m/s) with galvanized iron drive nails with washers. Roof covering m 266 s subtotal carried to summary \$	
2.3 ROOFING Sawn cypress or other approved: pressure impregnated with Tanalith or other approved nailed together, hoisted and fixed 3.0m above ground 150 x 75mm Wall plate 150 x 50mm Rafter 100 x 50mm Struts/Ties 150 x 50mm Tie beam 150 x 50mm Purlins 100 x 50mm Purlins 225 x 20mm Fascia and barge board 26 Gauge pre-coated (brick red) corrugated galvanized iron roofing sheets fixed: 1 1/2 corrugations side laps: fixed to timber purlins (m/s) with galvanized iron drive nails with washers. Roof covering matching ridge capping matching ridge capping subtotal carried to summary matching ridge capring subtotal carried to summary	
Sawn cypress or other approved: pressure impregnated with Tanalith or other approved nailed together, hoisted and fixed 3.0m above ground 150 x 75mm Wall plate m 100 \$ 150 x 50mm Rafter m 235 \$ 100 x 50mm Struts/Ties m 345 \$ 150 x 50mm Tie beam m 235 \$ 100 x 50mm Purlins m 460 \$ 225 x 20mm Fascia and barge board m 105 \$ 26 Gauge pre-coated (brick red) corrugated galvanized iron roofing sheets fixed: 1 1/2 corrugations side laps: fixed to timber purlins (m/s) with galvanized iron drive nails with washers. Roof covering m 266 \$ subtotal carried to summary \$	
Sawn cypress or other approved: pressure impregnated with Tanalith or other approved nailed together, hoisted and fixed 3.0m above ground 150 x 75mm Wall plate m 100 \$ 150 x 50mm Rafter m 235 \$ 100 x 50mm Struts/Ties m 345 \$ 150 x 50mm Tie beam m 235 \$ 100 x 50mm Purlins m 460 \$ 225 x 20mm Fascia and barge board m 105 \$ 26 Gauge pre-coated (brick red) corrugated galvanized iron roofing sheets fixed: 1 1/2 corrugations side laps: fixed to timber purlins (m/s) with galvanized iron drive nails with washers. Roof covering m 295 \$ matching ridge capping m 266 \$ subtotal carried to summary \$	
impregnated with Tanalith or other approved nailed together, hoisted and fixed 3.0m above ground 150 x 75mm Wall plate m 100 \$ 150 x 50mm Rafter m 235 \$ 100 x 50mm Struts/Ties m 345 \$ 150 x 50mm Tie beam m 235 \$ 100 x 50mm Purlins m 460 \$ 225 x 20mm Fascia and barge board m 105 \$ 26 Gauge pre-coated (brick red) corrugated galvanized iron roofing sheets fixed: 1 1/2 corrugations side laps: fixed to timber purlins (m/s) with galvanized iron drive nails with washers. Roof covering m 2 95 \$ matching ridge capping m 266 \$ subtotal carried to summary \$	
together, hoisted and fixed 3.0m above ground 150 x 75mm Wall plate m 100 \$ 150 x 50mm Rafter m 235 \$ 100 x 50mm Struts/Ties m 345 \$ 150 x 50mm Tie beam m 235 \$ 100 x 50mm Purlins m 460 \$ 225 x 20mm Fascia and barge board m 105 \$ 26 Gauge pre-coated (brick red) corrugated galvanized iron roofing sheets fixed: 1 1/2 corrugations side laps: fixed to timber purlins (m/s) with galvanized iron drive nails with washers. Roof covering m 2 95 \$ matching ridge capping m 266 \$ subtotal carried to summary \$	
150 x 75mm Wall plate m 100 \$ 150 x 50mm Rafter m 235 \$ 100 x 50mm Struts/Ties m 345 \$ 150 x 50mm Tie beam m 235 \$ 100 x 50mm Purlins m 460 \$ 225 x 20mm Fascia and barge board m 105 \$ 26 Gauge pre-coated (brick red) corrugated galvanized iron roofing sheets fixed: 1 1/2 corrugations side laps: fixed to timber purlins (m/s) with galvanized iron drive nails with washers. Roof covering m2 95 \$ matching ridge capping m 266 \$ subtotal carried to summary \$	
150 x 50mm Rafter m 235 \$ 100 x 50mm Struts/Ties m 345 \$ 150 x 50mm Tie beam m 235 \$ 100 x 50mm Purlins m 460 \$ 225 x 20mm Fascia and barge board m 105 \$ 26 Gauge pre-coated (brick red) corrugated galvanized iron roofing sheets fixed: 1 1/2 corrugations side laps: fixed to timber purlins (m/s) with galvanized iron drive nails with washers. Roof covering m 295 \$ matching ridge capping m 266 \$ subtotal carried to summary \$	
150 x 50mm Rafter m 235 \$ 100 x 50mm Struts/Ties m 345 \$ 150 x 50mm Tie beam m 235 \$ 100 x 50mm Purlins m 460 \$ 225 x 20mm Fascia and barge board m 105 \$ 26 Gauge pre-coated (brick red) corrugated galvanized iron roofing sheets fixed: 1 1/2 corrugations side laps: fixed to timber purlins (m/s) with galvanized iron drive nails with washers. Roof covering m 295 \$ matching ridge capping m 266 \$ subtotal carried to summary \$	
100 x 50mm Struts/Ties m 345 \$ 150 x 50mm Tie beam m 235 \$ 100 x 50mm Purlins m 460 \$ 225 x 20mm Fascia and barge board m 105 \$ 26 Gauge pre-coated (brick red) corrugated galvanized iron roofing sheets fixed: 1 1/2 corrugations side laps: fixed to timber purlins (m/s) with galvanized iron drive nails with washers. Roof covering m 2 95 \$ matching ridge capping m 266 \$ subtotal carried to summary \$	
150 x 50mm Tie beam m 235 \$ 100 x 50mm Purlins m 460 \$ 225 x 20mm Fascia and barge board m 105 \$ 26 Gauge pre-coated (brick red) corrugated galvanized iron roofing sheets fixed: 1 1/2 corrugations side laps: fixed to timber purlins (m/s) with galvanized iron drive nails with washers. Roof covering m2 95 \$ matching ridge capping m 266 \$ subtotal carried to summary \$	
100 x 50mm Purlins m 460 \$ 225 x 20mm Fascia and barge board m 105 \$ 26 Gauge pre-coated (brick red) corrugated galvanized iron roofing sheets fixed: 1 1/2 corrugations side laps: fixed to timber purlins (m/s) with galvanized iron drive nails with washers. Roof covering m2 95 \$ matching ridge capping m 266 \$ subtotal carried to summary \$	_
225 x 20mm Fascia and barge board m 105 \$ 26 Gauge pre-coated (brick red) corrugated galvanized iron roofing sheets fixed: 1 1/2 corrugations side laps: fixed to timber purlins (m/s) with galvanized iron drive nails with washers. Roof covering m2 95 \$ matching ridge capping m 266 \$ subtotal carried to summary \$	_
26 Gauge pre-coated (brick red) corrugated galvanized iron roofing sheets fixed: 1 1/2 corrugations side laps: fixed to timber purlins (m/s) with galvanized iron drive nails with washers. Roof covering m2 95 \$ matching ridge capping m 266 \$ subtotal carried to summary \$	_
galvanized iron roofing sheets fixed: 1 1/2 corrugations side laps: fixed to timber purlins (m/s) with galvanized iron drive nails with washers. Roof covering m2 95 \$ matching ridge capping m 266 \$ subtotal carried to summary \$	
corrugations side laps: fixed to timber purlins (m/s) with galvanized iron drive nails with washers. Roof covering m2 95 \$ matching ridge capping m 266 \$ subtotal carried to summary \$	
with galvanized iron drive nails with washers. Roof covering m2 95 \$ matching ridge capping m 266 \$ subtotal carried to summary \$	
matching ridge capping m 266 \$ subtotal carried to summary \$	
subtotal carried to summary \$	-
	-
2.4 CEILING WORK	-
2.4 CEILING WORK	
Supply and provide for ceiling including all m2 250 \$	-
provisions like support timbers, expandable wire	
sand cement and other necessary requirements	
according to the drawing.	



	subtotal carried to summary			\$	-
	·			-	
3	FITTINGS				
3.1	DOORS				
	Purpose made steel door: Z sections framing and clad faced/fabricated both sides with 3mm steel plates: complete with hinges, frame and fixing lugs built into wall.				
	45mm metallic door and frame: size2000mm x 2100mm high	no	1	\$	1
	45mm metallic door and frame: size 900 x 2100mm high	no	1	\$	-
3.2	WINDOWS				
	Purpose made steel casement to BS 990: frames primed with one coat red oxide primer before fixing: complete with fixing lugs built into walls and all the necessary glazing				
	Window size 2500 x 1200 mm high overall with a top hug leaf	no	6	\$	-
4	subtotal carried to summary			\$	-
4.1	FINISHINGS Internal Finishes				
4.1	20mm rendering and plaster works smooth trowelled to the internal wall surface	m2	110	\$	-
4.2	External Finishes				
	20mm rendering and plaster works smooth trowelled to the external wall surface	m2	110	\$	-
4.3	floor screeds				
	floor screed to cast to n e 50mm thick and given wood float finish	m2	35	\$	-
	ditto 30mm thick apron	m2	29	 \$	-
	subtotal carried to summary	<u> </u>		 \$	-
5	PAINTING/ DECORATION all walls to be given protective paint coat emulsion or any undercoat and finishes with 3 coats of specified paint coating				
5.1	Prepare surfaces: apply three coats vinyl silk soft white emulsion paint: on steel trowelled plaster: to the internal plastered walls	m2	95	\$	-
5.2	Prepare surfaces: apply three coats weather guard emulsion paint to the rendered external walls	m2	110	\$	-



5.4 Prepare touch up primer and apply one undercoat and two finishing coats of gloss oil paint on windows and doors subtotal carried to summary \$ -	35 \$ -
subtotal carried to summary \$ -	4.59 \$ -
	\$ -
6 STORE PARTITION/PARLETS	
6.1 Provide, supply and install parlets for the seed pcs 26 \$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	26 \$ -
Subtotal carried to summary \$ -	\$ -
TOTAL \$ -	\$ -
10% CONTIGENCIES \$ -	\$ -
GRAND TOTAL \$ -	\$ -

NOTE:

- 1. The material quantities may vary to 1% with construction procedure and site conditions
- 2. The unit cost depend on the current market rates hence may vary.
- 3. Material and work standard description and specifications be referred to the technical team or Eng.

SUMMARY	
PRILIMINARIES AND SUB STRUCTURE	\$ -
SUPER STRUCTURE [WALLING AND	\$ -
ROOFING]	
CEILING	\$ -
FITTINGS [DOORS AND WINDOWS]	\$ -
FINISHES	\$ -
PAINTING	\$ -
PARLETS	\$ -
TOTAL	\$ -
10% CONTIGENCIES	\$ -
GRAND TOTAL	\$ -

TABLE 2: Offer to Comply with Other Conditions and Related Requirements

Other Information pertaining to our	Your Responses (Tick appropriately)				
Quotation are as follows:	Yes, we will comply	No, we cannot comply	If you cannot comply, please indicate counter proposal		
Preferred Currency of Quotation: US\$					



Payment terms: ACROSS South Sudan operates on a standard 30-day credit.		
Please confirm that you agree with these		
terms.		
Payment mode: Bank transfer.		
Delivery Lead Time: 45 working days		
upon purchase order/Contract signature.		
Delivery terms: DDP, Incoterms 2010		
Mode of transportation: Road		
Delivery Location: Kajo-Keji		
Validity of Quotation: (90 days)		
Warranty: Brand new replacement if		
Purchased Unit is delivered damaged or of		
inferior quality.		
Liquidated damages: 2% of contract		
for every week of delay, up to a maximum		
duration of 2 calendar weeks. Thereafter,		
the contract may be terminated.		
Performance security: required in an		
amount equivalent to 5% of the contract sum and valid to cover the delivery lead		
period. The performance security will only		
be required of the selected supplier on		
contract signing. The proceeds of the		
performance security shall be payable to		
ACROSS as a compensation for the loss of		
time resulting from the Contractors failure		
to complete its obligations under the		
contract.		
The performance security shall be		
denominated in the currency of the		
contract valid for the period stated. Upon		
successful completion of the contract		
obligations and signing of GRN or		
completion certificate, ACROSS will return		
the performance security to the		
contractor/Bidder.	 	

Bid Submission Documents to be submitted:

Please ensure your quotation is accompanied by the documents listed below.

- 1. Original company Pro-forma invoice with the final total cost.
- 2. This tender document with all sections completed, with no alteration to any of the sections, signed and stamped.
- 3. Valid Certificate of Incorporation (Including a copy of the updated stamp).



- 4. Valid business Operation license.
- 5. Valid Tax Clearance Certificate.
- 6. CVS of the lead Engineer, foreman and other technical staff
- 7. Minimum 2 contracts/POs of similar nature, value, and complexity (Constructions) implemented during the last 3 years and corresponding completion certificates awarded, contract amount, date, and customer's current contact details for references to be sought.
- 8. Active bank statement for the last 6 months, on a Bank letterhead clearly stamped and signed, indicating at least 75% of the financial figure on the quotation.

All potential suppliers are required to submit the bid documents in a sealed envelope. **ONLY PHYSICAL SUBMISSION WILL BE CONSIDERED (HARD COPY).** Any bid submitted electronically (within Juba) shall not be considered except from field locations. Sealed bids should be clearly marked with the following tender reference number and delivered to the following address:

TENDER-Q-3440-2025 -CONSTRUCTION OF A STORE (SEED BANK) IN KAJO-KEJI CENTRAL EQUATORIA STATE.

ATTENTION:

Secretary, Tender Committee, ACROSS South Sudan, Juba Office

Buluk area, approx. 130m off Ministry Road opposite State house, behind UNHCR compound.

NB: Bids submitted by hand/courier must be recorded in the bid receipt record form and dropped in the bid box at the security gate. Unrecorded bids and those received after the deadline for submission shall automatically be disqualified.

Evaluation Criteria.

In principle, the financial evaluation of complete and responsive offers from qualified bidders will be conducted based on the total cost for the requirement and award based on the lowest price technically qualified compliant bid.

Only qualified bids shall be considered for the technical evaluation.

Technical Evaluation

- ✓ Responsiveness/full compliance to technical requirements
- ✓ Comprehensiveness of after-sales services (compliance with defects liability period)
- ✓ Appropriateness of the Implementation Timetable 30 calendar days as per completion period of the required works.



Financial Evaluation

✓ Financial Comparison of the technically qualified bids after arithmetic analysis and award to Lowest Priced bidder per lot.

We, the undersigned, hereby accept in full the ACROSS South Sudan General Terms and Conditions and hereby offer to supply the items listed above in conformity with the requirements of ACROSS South Sudan as per details provided above.

DEADLINE for submission of tenders is 25th /April/ 2025 before 1:30 PM (South Sudan NEW local time). No bids will be received after this deadline.

- ✓ ONLY SUCCESSFUL BIDDER (S) SHALL BE CONTACTED.
- ✓ IF YOUR DON'T RECEIVE ANY ONFORMATION AFTER 3 WEEKS, CONSIDER THAT YOUR OUOTATION ISN'T SUCCESSFUL

We, the undersigned, hereby accept in full the ACROSS South Sudan General Terms and Conditions and hereby offer to supply the items listed above in conformity with the requirements of ACROSS South Sudan as per details provided above.

	-
For the supplier	
Name:	
Title:	
Signature and stamp:	
Signature and Stamp.	
Date:	
Date:	

Appendix 1 :TECHNICAL SPECIFICATIONS AND PRICE MATRIX

Appendix 2: SUPPLIER CODE OF CONDUCT

SUPPLIER CODE OF CONDUCT

ACROSS is committed to complying with all laws and regulations that apply to our Christian ministry and operating in a manner consistent with the highest professional and ethical standards. As an ACROSS supplier, you play an integral role in helping us achieve these goals. We created this Supplier Code of Conduct to communicate the minimum standards by which all ACROSS suppliers are expected to conduct themselves when providing goods or services to our system. Please note ACROSS may establish guidelines that are more restrictive than those described in this document. It is your responsibility to



share this Supplier Code of Conduct with all personnel who may be engaged in conducting business activities with ACROSS.

- 1) Respectful Behaviours and Relationships All suppliers are expected to treat those they work with in ACROSS with honesty, dignity and respect. This includes maintaining a positive and courteous customer service orientation, speaking professionally and respectfully, and responding to requests for information or assistance in a timely manner.
- **2) Child Protection Policy:** The contractor will not in any circumstance employ people who have prior convictions for child abuse, pornography or any offence related to harm of children. If background checks prove employee is not suitable to work with children in one way or another, the employer reserves the right to terminate this contract.
- 3) Safeguarding and Prevention of the Sexual Exploitation and Abuses (PSEA) Policy: The Contractor working within ACROSS shall work together in Prevention of Sexual Exploitation and Abuse and safeguard the welfare of children and vulnerable adults; protecting them from harm, abuse, neglect and exploitation, and ensuring effective reporting of any suspected abuse. An ACROSS Contractor agrees to sign Safeguarding and PSEA good conduct declaration form.
- **4) Zero tolerance policy towards fraud, bribery, and corruption**: The employee shall not accept or be involved in any level of fraud, bribery or corruption within the organization, or by any other individual or organization representing ACROSS at all times and to safeguard the resources for which they are responsible.
- **5) Code of Conduct:** Every contractor working for ACROSS shall strive to act with honestly, fairness and integrity and to obey the policies and procedures of ACROSS and laws and regulations of the country wherever they operate. They should portray a Christian character at all times.
- **6) Anti-Discrimination and Harassment**: Contractors during their work shall respect the beneficiaries, communities and partners to have the right to work and live in an environment that is free from discrimination, harassment (sexual and other) and other threatening behaviors that could lead to physical or psychological harm, especially to vulnerable groups such as women, children, elderly and disabled people.
- **7) Terrorist Activities**: Contractors of ACROSS must not be involved in, facilitate, promote, advocate for, condone or harbor any terrorist activity or talk.
- 8) Essential Services and Business Continuity If a supplier's services are deemed vital to ACROSS's ability to provide goods and services to beneficiaries and persons of concern, supplier must agree to develop, test and implement business continuity and disaster recovery plans. Suppliers are also expected to implement adequate security safeguards to prevent cyber security interruptions.
- **9) Gifts** ACROSS recognizes that the cost of gifts, including meals, entertainment, and social activities provided by suppliers is ultimately borne in the cost of products and services we purchase. Consistent with our mission to be faithful stewards of our resources, ACROSS discourages suppliers from providing any gifts or other items of value to our colleagues or contractors working in ACROSS facilities ("ACROSS Personnel"). The following items are never acceptable:



- **a)** Gifts given to ACROSS Personnel for the purpose of influencing a purchasing and contracting decision.
- **b)** Gifts that reasonably could be perceived as a bribe, payoff, deal, or any other attempt to gain a competitive advantage.
- c) Cash or items redeemable for cash such as checks, gift cards, stocks, etc.
- **d)** Gifts to or from government representatives.
- e) Gifts or other incentives given for the purpose of encouraging or rewarding referrals.
- **f)** Gifts that may violate a law or regulation.
- **g)** The above requirements do not apply to meals and refreshments provided in connection with a conference or other educational program sponsored by a supplier for the benefit of all attendees.
- **10)Sponsored Events** ACROSS colleagues may attend supplier sponsored local or out-of-town programs, workshops, seminars and conferences that have a legitimate educational purpose or otherwise support ACROSS business objective (e.g. product training) provided such events are infrequent (i.e. no more than once annually) and ACROSS, not the supplier, pays for any related travel and overnight lodging costs.
- **11) Fundraising** As a tax-exempt, Christian charitable organization, ACROSS may solicit charitable contributions to support our livelihood, wash, protection, peace building, and education and health programs. Only ACROSS specific departments responsible for fundraising activities may solicit such gifts. ACROSS colleagues with responsibilities for ongoing business relationships with suppliers, including the negotiation or selection of suppliers, are prohibited from solicitation and fund-raising activities with suppliers. Other than legitimate fund-raising activities as described above, ACROSS colleagues are not allowed to solicit gifts, entertainment, or meals from suppliers at any time. Suppliers who encounter situations where ACROSS colleagues are in violation of this policy are expected to contact the ACROSS Integrity & Compliance Line at +211927447700 and +254722923203.
- **12)Conflicts of Interest** Conflicts of interest, in which a ACROSS board member, leadership team, or colleagues' relationship (e.g., employment, investment or other connection) with a supplier conflict, or could appear to conflict, with ACROSS's business interests, must be disclosed. ACROSS does not permit persons with conflicts of interests to make purchasing decisions. In addition, ACROSS colleagues are not permitted to work for a supplier if ACROSS is a customer of the supplier. We expect our suppliers to bring any actual, potential, or perceived conflicts of interest to the attention of a ACROSS high-level representative (other than the person who has a relationship with the supplier) in a timely manner.
- **13)Compliance with Laws** Suppliers are required to conduct their business activities in compliance with all applicable laws and regulations, including laws applicable to individuals and entities operating in South Sudan
- **14) Privacy and Security** South Sudan laws require ACROSS and our suppliers to maintain the privacy and security of ACROSS protected health information (PHI). Suppliers are responsible for ensuring all supplier personnel who provide services to ACROSS be aware of and familiar with the requirements of both the Health Insurance Portability and Accountability Act (HIPAA) Privacy and Security Rules and, where applicable, those state laws that provide more stringent protection of PHI. Suppliers are also responsible for ensuring all supplier personnel who provide services to network connected devices receive role-appropriate periodic training and assessments (at least annually) on cyber security. In addition,
- **15)**The supplier is responsible to ensure all reasonable and customary industry accepted actions are taken to ensure their respective devices are protected and malware free prior to installation and or use. If a supplier's business relationship with ACROSS will require access to or usage of PHI, the supplier will be required to sign a Business Associate Agreement with us.



- **16)Infection Control Policies** Supplier personnel whose activities require access to direct patient care environments are required to adhere to ACROSS infection control policies applicable to the organizations visited.
- **17)** Eligibility to Participate in ACROSS Programs ACROSS will not conduct business with any supplier listed on the United Nations list of suspended and removed vendors
- **18) Fraud, Waste and Abuse (FWA)** ACROSS will promptly investigate any reports of alleged violations of law, regulations or ACROSS policies involving supplier or a supplier's personnel, including allegations of FWA involving ACROSS programs. Suppliers are expected to fully cooperate in such investigations and, where appropriate, in taking corrective actions in response to confirmed violations. These laws also protect "whistle-blowers" people who report noncompliance or fraud, or who assist in investigations, from retaliation. ACROSS policy prohibits retaliation of any kind against individuals exercising their rights under the Federal False Claims Act or similar state laws.
- **19) Environmental Purchasing Policy** ACROSS is committed to purchasing products and services whose environmental impacts are healthier for the environment and human health. ACROSS expects suppliers to develop price competitive, environmentally sound, and safe products and services that help us achieve these objectives.
- **20)Supplier Diversity Program** ACROSS has a long tradition of support for programs that foster diversity in our organization, and in our communities. Where applicable, ACROSS expects its suppliers to mirror our commitment, through subcontracting opportunities with diverse businesses and providing information to ACROSS on supplier diversity when requested.
- **21)Visitor Policy** When visiting ACROSS facilities, suppliers must comply with applicable ACROSS visitor policy, including but not limited to, infection control policies. Supplier representatives are required to schedule appointments and must register prior to visiting ACROSS premises. Representatives will be required to state the area to be visited, and visits must be restricted to those location(s) only. Visitor badges provided by the facility must be worn at all times.
- **22)Product Samples** With the exception of drug samples provided to a public health Centre or clinic, supplier product samples may not be provided without the advance review and approval of ACROSS Supply Chain Management.
- **23) Publicity** Suppliers are not permitted to distribute advertising, press releases, or any other general public announcement regarding its products or services to ACROSS facilities unless you have obtained prior written authorization from an authorized ACROSS management employee.
- **24)**Business Record Retention ACROSS requires suppliers to retain and make available records related to business with ACROSS in accordance with applicable law, regulation, and contract requirements.
- **25)**ACROSS also requires suppliers to retain and make available known cyber security vulnerabilities, as well as mitigations for devices purchased from supplier.
- **26)Resources** For more information on ACROSS policies and programs visit ACROSS web site at http://www.across-ssd.org
- **27)ACROSS Code of Conduct and Integrity & Compliance Line** ACROSS Code of Conduct describes behaviours and conduct expected of all ACROSS Personnel. The Code of Conduct is available at http://www.across-ssd.org. Suppliers may use the Integrity & Compliance Line to report any actual or suspected violations of this Code of Conduct including FWA matters, safety concerns, or other matters, on an anonymous basis without fear of retaliation. The Integrity & Compliance Line is available during working hours each day, 9.30am-5.00pm at +211917080065/+211929973366 and +254722923203

Supplier Authorized Representative



We	
Signed on behalf of the vendor	
DateStamp	

Appendix 3:

ACROSS TERMS AND CONDITIONS

ARTICLE 1: GENERAL PROVISIONS

The following general Terms and Conditions apply to all orders placed by ("ACROSS") with a supplier. The term "order" refers to any ACROSS purchase order or contract.

Upon acceptance of the order, the supplier shall be entirely bound by the provisions of these Terms and Conditions which will prevail over any additional or differing terms in the supplier's terms of sale. This Agreement may only be varied with the written consent of ACROSS and any specific terms and conditions in the purchase order or contract will prevail over these terms and conditions.

ARTICLE 2: DELIVERY



Except if otherwise specified in writing in the purchase order or contract, all orders will be delivered carriage and insurance paid (CIP), or in conformity with the Incoterms 2010 specified on the purchase order.

Goods will remain the sole responsibility of the supplier until the delivery note has been signed by ACROSS or by the forwarding agent appointed by ACROSS.

All orders will be delivered in full, unless ACROSS has agreed to partial deliveries in writing.

All deliveries will be accompanied by a delivery note mentioning the purchase order reference or contract numbers, complete descriptions and quantities of goods delivered, and batch or serial numbers if applicable. ACROSS reserves the right to request additional documentation such as certificates of analysis and/or certificates of origin for goods delivered.

Should the point of delivery be different to the billing address, a copy of the delivery note, and shipping documentation will be sent to the ordering entity at least 24 hours before expedition of the goods. ACROSS reserves the right to refuse any goods delivered in excess of quantities ordered. Excess quantities will be returned to the supplier at their own risk and cost.

ARTICLE 3: DELIVERY TIMES

Delivery times and delivery dates appearing on the purchase order or contract are binding.

If contractual delivery times are not respected, ACROSS May, in accordance with the law, apply late delivery penalties without prejudice to the cancellation clause. These penalties will amount to two percent (2 %) of the total amount of the undelivered goods, excluding taxes, per week of late delivery. If goods have not been delivered within ten (10) calendar days after the contractual delivery date, ACROSS reserves the right to cancel the order for undelivered goods without notice or payment to the supplier.

ARTICLE 4: COMPLIANCE

A delivery will only be considered as compliant after verification and acceptance by ACROSS. Non-compliant goods can be refused, without written prior agreement from the supplier, and returned by ACROSS at the supplier's cost and risks within fifteen (15) calendar days of delivery. After this time ACROSS will be responsible for costs incurred returning the goods.

ACROSS may also demand that the goods be brought up to standard or replaced within fifteen (15) calendar days of receipt of a written request from ACROSS, that the total price be refunded, or the cancellation of the order in its entirety.

All delivery prices include packaging charges. No deposit can be applied to packaging without prior written agreement from ACROSS. If such an arrangement is agreed, details of the deposit will be clearly explained on all delivery slips and invoices.

ARTICLE 5: PACKAGING

The supplier agrees to supply goods and services that comply with technical specifications defined by ACROSS, official standards and, in all cases that comply with good professional practice in the sector in question.

Packaging must be compliant with the quality standards required by the nature of the goods, and their transport, storage, and handling, in order that they are delivered in perfect condition.

ARTICLE 6: WARRANTY

The supplier guarantees that goods will be delivered undamaged and free from defects, contamination, or unreasonable wear, and that they will comply with their destined usage.

The supplier provides, at no additional charge, a 12-month guarantee (spare parts, labour, and travel costs) for delivered goods commencing on the date of acceptance by ACROSS. Any replacement or repair of goods by the supplier will renew the guarantee for a further twelve (12) months beginning on



the date of acceptance by ACROSS of the replaced or repaired goods. The supplier guarantees that any replacement parts will be provided at short notice, and an after-sales service will be guaranteed for five (5) years from the initial delivery date.

ARTICLE 7: DANGEROUS OR PERISHABLE GOODS

The supplier agrees to inform ACROSS of the precautions, instructions, recommendations and applicable restrictions for the transport, warehousing, and handling of perishable or dangerous goods. The supplier agrees to provide all required official documentation for perishable and dangerous goods, particularly for international shipping.

Product expiry dates must be displayed clearly and permanently on packaging. The supplier guarantees that the remaining shelf life of the product at the time of delivery is longer than eighty percent (80 %) of its total initial shelf life.

ARTICLE 8: LIABILITY

The supplier is entirely liable for the delivery of goods in compliance with the terms and conditions of the purchase order or contract, and with the laws, regulations, recommendations, standards and good professional practices applicable to the sector.

The supplier is solely liable for any damage caused by its staff or sub-contractors during the execution of the purchase order or contract.

The supplier agrees to hold a valid civil liability insurance policy for the entire duration of their contractual agreement with ACROSS.

ARTICLE 9: ORDER CANCELLATION

Any order unfilled by the supplier or non-compliant with one or several of their contractual obligations may be lawfully cancelled by ACROSS if the failure to comply is not addressed in the fourteen (14) calendar days following formal notification by ACROSS by registered mail with acknowledgement receipt.

ACROSS will notify the supplier in writing of the cancellation, which will take effect to the sole detriment of the supplier, and this notwithstanding all damages suffered or incurred by ACROSS.

ARTICLE 10: PRICE

Unless stipulated otherwise by ACROSS, the prices indicated on the purchase order are firm and not subject to change. They include all costs associated with the manufacture, packaging, loading, shipping, and unloading of the goods. Prices for goods to be exported outside the European Union do not include VAT.

ARTICLE 11: INVOICING AND PAYMENT

Two copies of all invoices will be issued and sent to the ACROSS office that sent out the order within seven (7) calendar days of delivery.

If several orders are contained in one delivery, a separate invoice will be issued for each order.

All invoices will feature the exact references of the delivery note and the order to which they correspond. Unless stated otherwise on the purchase order or contract, payments are to be made by bank wire transfer within forty-five (45) days from the end of the month during which the invoice was received.

ARTICLE 12: LEGAL and ETHICAL ASPECTS

ACROSS reserves the right to refuse an order at any time if the supplier or one of its sub-contractors provided material support or resources to any individual or entity that commits, attempts to commit, advocates, facilitates, or participates or is found guilty of fraud, active corruption, collusion, coercive practice, bribery, involvement in a criminal organization or illegal activity, or immoral Human Resources practices, such as the use of Child Labour or overriding basic social rights and work conditions or the standards defined by the International Labour Organization (ILO1), particularly in terms of non-discrimination, freedom of association, payment of the legal national minimum wage, no forced Labour, and the respect of working and hygiene conditions .

ACROSS reserves the right to use international supplier' screening tools to check the supplier's record with regards to their possible involvement in illegal or unethical practices



Furthermore, ACROSS is committed to limiting its environmental impact to a minimum and expects its suppliers and service providers to adopt a similar policy.

ARTICLE 13: APPLICABLE LAW AND JURISDICTION

Any dispute between the supplier and ACROSS with regards to the interpretation, execution and cancellation of an order will preferably be resolved amicably. Otherwise, all litigation will be handled exclusively by the courts of South Sudan or based in International Law.